

Safety Data Sheet

Safety Data Sheet according to SWA and ADG requirements Date of issue: 05/03/2025

SECTION 1: Identification 1.1. **Product identifier** Trade name : Albaugh Icasso 240 Herbicide 1.2. Other means of identification Clethodim Recommended use of the chemical and restrictions on use 1.3. 1.3.1. **Recommended use** Industrial/Professional use : For professional use only Use of the substance/mixture : Agriculture Herbicide 1.3.2. **Restrictions on use** No additional information available. 1.4. Details of the manufacturer/importer Albaugh Australia Pty Ltd Level 1, 530 Little Collins Street, MELBOURNE 3000, Australia Tel (03) 99097183 ABN: 676 890 994 1.5. **Emergency phone number** : 1800 862 115 (Australia) Emergency number +61 2 9037 2994 Local (City): Sydney SECTION 2: Hazards identification **Classification of the hazardous chemical** 2.1. This material is hazardous according to Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

Classification of the substance or mixture:

Skin irritation	Category 2
Eye irritation	Category 2B
Skin sensitisation	Category 1
Aspiration hazard	Category 1
Flammable liquids	Category 4

The following hazard classes fall outside the scope of the Workplace Health and Safety Regulations: Hazardous to the aquatic environment (chronic) - Category 2

2.2. Label elements, includin	g precautionary statements
Hazard pictograms	
	Exclamation Mark Health Hazard Environment
Signal word	: Danger
Hazard statements	 H227 Combustible liquid H304 May be fatal if swallowed and enters airways H315 Causes skin irritation. H317 May cause an allergic skin reaction. H320 Causes eye irritation. H411 Toxic to aquatic life with long lasting effects.
Precautionary statements	 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. smoking. P261 Avoid breathing dust, mist. P264 Wash hands thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves. P301 + P310 IF SWALLOWED: Immediately call a POISON CENTRE/ doctor. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 Specific treatment (see the instruction on this label). P332+P313 If skin irritation or rash occurs: Get medical advice/attention. P337+P313 If eve irritation persists: Get medical advice/attention.
05/03/2025	EN (English) 1/6

Version: 001

Safety Data Sheet

Safety Data Sheet according to SWA and ADG requirements

P362+P364 Take off contaminated clothing and wash it before reuse.

P370 + P378 In case of fire: Use carbon dioxide, dry powder, foam or water spray to extinguish. P391 Collect spillage.

P403 Store in a well-ventilated place.

P405 Store looked up

P405 Store locked up.

P501 Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

SECTION 3: Composition and information on ingredients

Ingredient identifier (CAS No.)	Content (w/v)
99129-21-2	24%
64742-94-5	66.3%
	99129-21-2

Other components are not considered hazardous in this formulation and therefore are not required to be disclosed according to the WHS Regulations

SECTION 4: First aid measures

Description of necessary first aid measures Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice First-aid measures general : (show the label where possible). First-aid measures after ingestion Rinse mouth. DO NOT induce vomiting. Obtain emergency medical attention immediately. First-aid measures after inhalation Remove to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration. Call a POISON INFORMATION CENTER (Australia) on 13 11 26 or doctor/physician. First-aid measures after eye contact Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain emergency medical attention. First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with plenty of mild soap and water. Eyewash, safety shower and normal washroom facilities. First aid facitilities 4.2. Symptoms caused by exposure Symptoms/injuries after ingestion : May be fatal if swallowed and enters airways. May cause irritation, reddening and burning sensation to mouth and throat, decreased motor activity, incoordination and hyperactivity. Symptoms/injuries after inhalation May cause respiratory irritation Symptoms/injuries after eye contact : Causes eye irritation. May cause stinging and reddening. Symptoms/injuries after skin contact : Causes skin irritation. May cause an allergic skin reaction, skin itchiness and reddening.

4.3. Medical attention and special treatment

Treat symptomatically.

which this product is involved. Hazchem code •3Z (bulk only) SECTION 6: Accidental release measures			
Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray Unsuitable extinguishing media : Do not use a heavy water stream. 5.2. Specific hazards arising from the chemical This product is classified as a C1 combustible product. In the event of fire, the following may be released: oxides of carbon and nitrogen, oxides of sulphur, nitrogen, hydrogen cyanide and smoke. 5.3. Special protective equipment and precautions for firefighters Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering drains or water bodies. Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Whenever possible, contain fire-fighting water by diking area with sand or earth. Do not allow run-off from fire fighting to enter drains or water courses. Protection during firefighting : In the event of fire and/or explosion do not breathe fumes. Wear self-contained breathing apparatus and protective suit. Do not enter fire area without proper protective equipment, including respiratory protection. Breathable air apparatus must be worn when fighting a fire in which this product is involved. Hazchem code ·3Z (bulk only)	SECTION 5: Firefighting measures		
Unsuitable extinguishing media : Do not use a heavy water stream. 5.2. Specific hazards arising from the chemical This product is classified as a C1 combustible product. In the event of fire, the following may be released: oxides of carbon and nitrogen, oxides of sulphur, nitrogen, hydrogen cyanide and smoke. 5.3. Special protective equipment and precautions for firefighters Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering drains or water bodies. Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Whenever possible, contain fire-fighting water ourses. Protection during firefighting : In the event of fire and/or explosion do not breathe fumes. Wear self-contained breathing apparatus and protective suit. Do not enter fire area without proper protective equipment, including respiratory protection. Breathable air apparatus must be worn when fighting a fire in which this product is involved. Hazchem code •3Z (bulk only)	5.1. Suitable extinguishing equipment		
5.2. Specific hazards arising from the chemical This product is classified as a C1 combustible product. In the event of fire, the following may be released: oxides of carbon and nitrogen, oxides of sulphur, nitrogen, hydrogen cyanide and smoke. 5.3. Special protective equipment and precautions for firefighters Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering drains or water bodies. Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Whenever possible, contain fire-fighting water by diking area with sand or earth. Do not allow run-off from fire fighting to enter drains or water courses. Protection during firefighting : In the event of fire and/or explosion do not breathe fumes. Wear self-contained breathing apparatus and protective suit. Do not enter fire area without proper protective equipment, including respiratory protection. Breathable air apparatus must be worn when fighting a fire in which this product is involved. Hazchem code •3Z (bulk only)	Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray	
This product is classified as a C1 combustible product. In the event of fire, the following may be released: oxides of carbon and nitrogen, oxides of sulphur, nitrogen, hydrogen cyanide and smoke. 5.3. Special protective equipment and precautions for firefighters Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering drains or water bodies. Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Whenever possible, contain fire-fighting water by diking area with sand or earth. Do not allow run-off from fire fighting to enter drains or water courses. Protection during firefighting : In the event of fire and/or explosion do not breathe fumes. Wear self-contained breathing apparatus and protective suit. Do not enter fire area without proper protective equipment, including respiratory protection. Breathable air apparatus must be worn when fighting a fire in which this product is involved. Hazchem code •3Z (bulk only)	Unsuitable extinguishing media	: Do not use a heavy water stream.	
In the event of fire, the following may be released: oxides of carbon and nitrogen, oxides of sulphur, nitrogen, hydrogen cyanide and smoke. 5.3. Special protective equipment and precautions for firefighters Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering drains or water bodies. Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Whenever possible, contain fire-fighting water by diking area with sand or earth. Do not allow run-off from fire fighting to enter drains or water courses. Protection during firefighting : In the event of fire and/or explosion do not breathe fumes. Wear self-contained breathing apparatus and protective suit. Do not enter fire area without proper protective equipment, including respiratory protection. Breathable air apparatus must be worn when fighting a fire in which this product is involved. Hazchem code SECTION 6: Accidental release measures	5.2. Specific hazards arising from the ch	emical	
5.3. Special protective equipment and precautions for firefighters Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering drains or water bodies. Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Whenever possible, contain fire-fighting water by diking area with sand or earth. Do not allow run-off from fire fighting to enter drains or water courses. Protection during firefighting : In the event of fire and/or explosion do not breathe fumes. Wear self-contained breathing apparatus and protective suit. Do not enter fire area without proper protective equipment, including respiratory protection. Breathable air apparatus must be worn when fighting a fire in which this product is involved. Hazchem code •3Z (bulk only)	This product is classified as a C1 combustible pro	oduct.	
Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering drains or water bodies. Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Whenever possible, contain fire-fighting water by diking area with sand or earth. Do not allow run-off from fire fighting to enter drains or water courses. Protection during firefighting : In the event of fire and/or explosion do not breathe fumes. Wear self-contained breathing apparatus and protective suit. Do not enter fire area without proper protective equipment, including respiratory protection. Breathable air apparatus must be worn when fighting a fire in which this product is involved. Hazchem code •3Z (bulk only)	In the event of fire, the following may be released: oxides of carbon and nitrogen, oxides of sulphur, nitrogen, hydrogen cyanide and smoke.		
chemical fire. Prevent fire-fighting water from entering drains or water bodies. Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Whenever possible, contain fire-fighting water by diking area with sand or earth. Do not allow run-off from fire fighting to enter drains or water courses. Protection during firefighting : In the event of fire and/or explosion do not breathe fumes. Wear self-contained breathing apparatus and protective suit. Do not enter fire area without proper protective equipment, including respiratory protection. Breathable air apparatus must be worn when fighting a fire in which this product is involved. Hazchem code •3Z (bulk only)	5.3. Special protective equipment and protecti	ecautions for firefighters	
Protection during firefighting : In the event of fire and/or explosion do not breathe fumes. Wear self-contained breathing apparatus and protective suit. Do not enter fire area without proper protective equipment, including respiratory protection. Breathable air apparatus must be worn when fighting a fire in which this product is involved. Hazchem code •3Z (bulk only)	Firefighting instructions		
apparatus and protective suit. Do not enter fire area without proper protective equipment, including respiratory protection. Breathable air apparatus must be worn when fighting a fire in which this product is involved. Hazchem code •3Z (bulk only) SECTION 6: Accidental release measures		pressure being built up due to heat. Whenever possible, contain fire-fighting water by diking area	
SECTION 6: Accidental release measures	Protection during firefighting	apparatus and protective suit. Do not enter fire area without proper protective equipment, including respiratory protection. Breathable air apparatus must be worn when fighting a fire in	
	Hazchem code	•3Z (bulk only)	
	SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures			

Avoid contact with spilled product or contaminated surfaces. Wear appropriate personal protective equipment and clothing to prevent exposure. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation. Protective equipment : Do not attempt to take action without suitable protective equipment. See Section 8

Protective equipment Emergency procedures

Safety Data Sheet

Safety Data Sheet according to SWA and ADG requirements

6.2. **Environmental precautions**

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters. Avoid release to the environment.

6.3. Methods and materials for containment and cleaning up

Soak up spills with inert solids, such as clay, sand, soil, vermiculite or diatomaceous earth as soon as possible. Collect spillage in sealable open-top type containers for disposal. If large liquid spills occur, attempt to recover as much spilt material from sumps and bunded areas, as possible, before absorbing remaining material into vermiculite or other absorbent.

SECTION 7: Handling and storage

Precautions for safe handling 7.1.

Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not breathe mist/spray. Use only outdoors or in a well-ventilated area. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes.

Wear personal protective equipment. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2.	Conditions for safe storage, including	ig any incompatibilities
Storag	e conditions	: Keep only in the original container in a cool, well ventilated place out of direct sunlight. Keep container tightly closed. Protect from frost. Do not store with seed, fertilisers or foodstuffs. Store locked up.
Incom	patibilities	: Strong acids, bases and oxidising agents. Protect from direct sunlight. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

SECTION 8:	Exposure controls/perso	on	al protection
8.1. Expos	sure control measures		
Exposure stand	ards		No value assigned for this specific material by Safe Work Australia.
8.2. Biolog	gical monitoring		
No biological lim	nit allocated for the product. No bic	olo	gical monitoring is required.
8.3. Contr	ol banding		
Not available.			
8.4. Engin	eering controls		
Handle in well-v	entilated areas, generally natural	ve	ntilation is adequate.
8.5. Indivi	dual protection measures		
Personal protec	tive equipment	:	Avoid all unnecessary exposure. When opening the container, preparing spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow- length PVC gloves and goggles and appropriate respiratory protection. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. After each day's use, wash contaminated clothing and safety equipment.
Eye and face pr	otection	:	Chemical goggles or safety glasses. Eye protection devices should conform to relevant regulations. Consult AS/NZS 1336 and AS/NZS 1337 for further information.
Skin protection		:	Wear protective gloves of impervious material. Occupational protective gloves should conform to relevant regulations. Consult AS/NZS 2161 and AS/NZS 4501 for further information.
Respiratory prot	ection	:	If ventilation is inadequate, suitable respiratory protection should be worn, consult AS/NZS 1715 and AS/NZS 1716 for further information.
T 1 1 1			

Thermal hazards : No further relevant information available.

SECTION 9: Physical and chemical properties

Physical state	: Liquid
Colour	: Yellow-brown
Odour	: Pungent
Odour threshold	: No data available
pН	: 4.19
Density	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 67.5 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Flammable, C1 Combustible liquid
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
05/03/2025	EN (English)

Safety Data Sheet Safety Data Sheet according to SWA and ADG requirements

Relative density	: 0.95839
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: 18.7 mPa⋅s
Explosive properties	: Not an explosive
Oxidising properties	: No data available
Explosive limits	: No data available
Particle characteristics	: Not applicable
Partition coefficient: n-octanol/water (log value)	: No data available

SECTION 10: Stability and reactivity

The product is non-reactive under normal conditions of use, storage and transport.

•	- · ·
10.2.	Chemical stability
Stable u	inder normal conditions.
10.3.	Possibility of hazardous reactions
No dang	gerous reactions known under normal conditions of use.
10.4.	Conditions to avoid
Direct s	unlight. Extremely high or low temperatures.
10.5.	Incompatible materials
~	

Strong acids. Strong bases. Keep away from strong oxidising agents and combustible materials.

10.6. Hazardous decomposition products

Thermal decomposition may result in the release of toxic and/or irritating fumes. Oxides of carbon and nitrogen, oxides of sulphur, nitrogen, hydrogen cyanide and smoke.

SECTION 11: Toxicological informat		
11.1. Information on toxicological effects	;	
The information presented below is based on the	e to:	xicity data for the formulated product, Clethodim 240g/L EC
Albaugh Icasso 240 Herbicide		
Acute toxicity	:	Oral LD50 (rat): >2000mg/kg (Harlan data)
		Dermal LD50 (rat): > 2000 mg/kg (Harlan data)
		Inhalation LC50 (rat): >5.3 mg/l/4h (Harlan data)
		Not considered to be acutely toxic via oral, dermal or inhalation route of exposure, according to available data.
Skin corrosion/irritation	:	Causes skin irritation. (Harlan data)
Serious eye damage/irritation	:	Causes eye irritation. Moderate irritant to rabbit eye according to available data. (Harlan data)
Respiratory or skin sensitisation	:	May cause an allergic skin reaction. It is a weak sensitiser according to available data (Advinus data)
Germ cell mutagenicity	:	Not suspected to cause genetic defects according to available information.
Carcinogenicity	:	Not considered to be carcinogenic according to available information.
Reproductive toxicity	:	Not considered to be toxic to reproduction according to available information.
Specific target organ toxicity (single exposure)	:	Not expected to cause toxicity to a specific target organ through single exposure according to available information.
Specific target organ toxicity (repeate exposure)	ed :	Not expected to cause toxicity to a specific target organ according to available information.
Aspiration hazard	:	May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

12.1. Ecotoxicity

Toxic to aquatic life with long lasting effects.

Clethodim 240g/L EC	
LC50 Fish (96h)	1.8 mg/l (Harlan data)
EC50 Crustacea (48h)	4.1 mg/l (Harlan data)
ErC50 Algae (72h)	18 mg/l (Harlan data)

Safety Data Sheet Safety Data Sheet according to SWA and ADG requirements

Clethodim		
LC50 Fish (96h)	25 mg/l (ECHA)	
EC50 Crustacea (48h)	>100 mg/l (ECHA)	
ErC50 Algae (72h, Raphidocelis subcapitata)	>120 mg/l (ECHA)	
ErC50 other aquatic plants (7d, Lemma gibba)	1.27 mg/l (ECHA)	
12.2. Persistence and degradability		
Persistence and degradability :	No additional information available	
12.3. Bioaccumulative potential		
Bioaccumulative potential :	No information available on the product.	
	Data is available for the active constituent Clethodim:	
	Partition coefficient n-octanol/water (Log Pow) is 4.2 (ECHA)	
12.4. Mobility in soil		
Mobility in soil :	No additional information available.	
12.5. Other adverse effects		
	No additional information quailable	
Other information :	No additional information available.	

SECTION 13: Disposal considerations

Triple-rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. Do not burn empty containers or product. Do not reuse container for any other purpose.

SECTION 14: Transport information	
Road and rail transport	: Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail as per the Australian Special Provisions AU01.
Additional Information:	 Australian Special Provisions AU01: Environmentally Hazardous Substances meeting the description of UN 3077 or UN 3082 are not subject to this Code when transported by road or rai in;
	(a) packagings that do not incorporate a receptacle exceeding 500 Kg (L); or(b) IBCs.
Marine transport:	: Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; MARINE POLLUTANT
UN Number	: 3082
Proper Shipping Name or Technical Name:	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (CONTAINS CLETHODIM)
Transport Hazard Class:	: 9
Packaging Group:	: III
Hazchem Code:	: •3Z
IMDG EMS Fire:	: F-A
IMDG EMS Spill:	: S-F
Environmental Hazards:	: Yes. Marine Pollutant.
Special Precautions for User:	: Not available.
Additional Information:	: The marine pollutant mark is not required when transported in sizes of \leqslant 5 L or \leqslant 5 kg.
Air transport:	: IATA provision SP A197: Environmentally Hazardous Substances meeting the description
	of UN 3077 or UN 3082 are not subject to this Code when transported air in packages that have inner packages (plastic bottles, glass bottles, plastic bags) of 5 L for UN3082 and 5 kg for UN3077 or less.
UN Number	: 3082
Proper Shipping Name or Technical Name:	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (CONTAINS CLETHODIM)
Transport Hazard Class:	: 9
Packaging Group:	: III
Special Precautions for User:	: Not available.
Additional Information:	: IATA Special Provision A197: when transported in sizes of \leqslant 5 L or \leqslant 5 kg per packaging (inne or single) are not subject to the code.

SECTION 15: Regulatory information

Safety Data Sheet Safety Data Sheet according to SWA and ADG requirements

15.1.	Safety, health and environmental regu	ulations
APVMA	Number	: 80906
Poison	Schedule	: Schedule 5
AICIS	:	: Listing in the AICS is not required for products regulated by the APVMA.

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals) Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants) Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Date of issue	vant information : 05/03/2025
Version	: 001
Reason(s) for issue	: First issue
Literature References	: See respective sections for information
Literature References Abbreviations	 See respective sections for information ADG Code - Australian Code for the Transport of Dangerous Goods by Road and Rail (edition) AICIS - Australian Inventory of Industrial Chemicals Introduction Scheme (formerly NICNAS) AIIC - Australian Inventory of Industrial Chemicals Advinus - Advinus Therapeutics Limited, 21 & 22 Peenya Phase II, Bangalore, India APVMA - Agricultural Pesticides and Veterinary Medicines Australia ATE - Acute Toxicity Estimate BCF - Bicocncentration factor BUD - Biochemical oxygen demand (BOD) CAS No Chemical Abstract Service number COD - Chemical oxygen demand (COD) EC50 - Median effective concentration ECHA - European Chemicals Agency GHS - Globally Harmonised System of Classification and Labelling of Chemicals (7th revise edition) 2017 Harlan - Harlan Laboratories Ltd, Shardlow Business Park, Shardlow, Derbyshire, UK IARC - International Agency for Research on Cancer IATA - International Air Transport Association IMDG - International Maritime Dangerous Goods LC50 - Median lethal concentration LD50 - Median lethal dose LOAEL - Lowest Observed Adverse Effect Level NOAEL - No-Observed Adverse Effect Level NOAEL - No-Observed Adverse Effect Level NOAEL - No-Observed Adverse Effect Level NOAEL - Short term exposure limit means the average airborne concentration of a substar calculated over a 15 minute period. The STEL should not be exceeded at any time during normal eight hour working day. SUSMP - Standard for the Uniform Scheduling of Medicines & Poisons SWA - Safe Work Australia, formerly ASCC and NOHSC ThOD - Theoretical oxygen demand (ThOD) TLM - Median Tolerance Limit TGA - Therapeutic Goods Australi

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product