

Safety Data Sheet Safety Data Sheet according to SWA and ADG requirements

		-	e:05/03/2025	Version: 001
SECTION	N 1: Identification			
1.1. P	roduct identifier			
Trade name	9	:	Albaugh Metsuram 600 WG Herbicide	
1.2. 0	ther means of identification			
Metsulfuron	-Methyl			
1.3. R	ecommended use of the chem	ical ar	nd restrictions on use	
1.3.1. R	ecommended use			
Industrial/P	rofessional use	:	For professional use only	
Use of the s	substance/mixture	:	Agricultural herbicide	
1.3.2. R	estrictions on use			
	al information available.			
1.4. D	etails of the manufacturer/imp	orter		
		NE 30	00, Australia	
1.5. E	mergency phone number			
Emergency	number	:	1800 862 115 (Australia)	
			+61 2 9037 2994 Local (City): Sydney	
SECTION	N 2: Hazards identificatio	n		
	lassification of the hazardous		cal	
This materia			armonised System of Classification and labelling of Chemicals (GHS) including W	ork, Health and
	on of the substance or mixture: ty (inhalation: dust/mist)		Category 4	
Hazardous	ng hazard classes fall outside the to the aquatic environment (acut to the aquatic environment (chro	e) – Ča		
2.2. L	abel elements, including preca	utiona	iry statements	
Hazard pict	ograms	:		
			Exclamation Environment Mark	
Signal word	l	:	Warning	
Hazard stat	ements	:	H332 Harmful if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.	
Precautiona	ary statements	:	<ul> <li>P261 Avoid breathing dust/fume/gas/mist/vapours/spray.</li> <li>P271 Use only outdoors or in a well-ventilated area.</li> <li>P273 Avoid release to the environment.</li> <li>P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable</li> </ul>	for breathing.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a POISON CENTRE or doctor if you feel unwell. P391 Collect spillage.

P501 Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

## **SECTION 3: Composition and information on ingredients**

Name	Ingredient identifier (CAS No.)	Content (w/w)		
Metsulfuron-Methyl	74223-64-6	60%		
Other components are not considered hazardous in this formulation and therefore are not required to be disclosed according to the WHS Regulations				

Safety Data Sheet Safety Data Sheet according to SWA and ADG requirements

SECTION 4: First aid measures	
4.1. Description of necessary first aid	1 measures
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after ingestion	: Rinse mouth. DO NOT induce vomiting. Obtain emergency medical attention.
First-aid measures after inhalation	: Remove to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration. Call a POISON INFORMATION CENTER (Australia) on 13 11 26 o doctor/physician.
First-aid measures after eye contact	: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain emergency medical attention.
First-aid measures after skin contact First aid facitilities	: Remove affected clothing and wash all exposed skin area with plenty of mild soap and water. Eyewash, safety shower and normal washroom facilities.
4.2. Symptoms caused by exposure	
Symptoms/injuries after ingestion	: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.
Symptoms/injuries after inhalation	: Harmful if inhaled. May cause respiratory irritation.
Symptoms/injuries after eye contact	: May cause eye irritation.
Symptoms/injuries after skin contact	: May cause skin irritation.
4.3. Medical attention and special tre	-
Treat symptomatically.	
SECTION 5: Firefighting measure	
5.1. Suitable extinguishing equipmer	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Specific hazards arising from the	
	sed: oxides of carbon and nitrogen, other nitrogen compounds, nitrogen, hydrogen cyanide and smoke.
5.3. Special protective equipment an	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering drains or water bodies.
	Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Whenever possible, contain fire-fighting water by diking area with sand or earth. Do not allow run-off from fire fighting to enter drains or water courses.
Protection during firefighting	In the event of fire and/or explosion do not breathe fumes. Wear self-contained breathing apparatus and protective suit. Do not enter fire area without proper protective equipment including respiratory protection. Breathable air apparatus must be worn when fighting a fire ir which this product is involved.
Hazchem code	•2Z (bulk only)
SECTION 6: Accidental release m	easures
	equipment and emergency procedures
	ninated surfaces. Wear appropriate personal protective equipment and clothing to prevent exposure. fected area. Do not breathe dust/mist. Avoid generating dust. Ensure adequate ventilation.
Protective equipment	: Do not attempt to take action without suitable protective equipment. See Section 8
Emergency procedures	: Ventilate area. Do not breathe dust/mist. Avoid contact with skin and eyes.
6.2. Environmental precautions	
Prevent entry to sewers and public waters. N	otify authorities if product enters sewers or public waters. Avoid release to the environment.
6.3. Methods and materials for conta	inment and cleaning up
	or and full protective clothing. Do not breathe dust. Ensure adequate ventilation. Avoid generating dust.

Stop leak if safe to do so and sweep granules into a pile and shovel into drums for subsequent disposal. Consider vacuuming if appropriate. Provide adequate ventilation.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of dust/mist. Do not breathe dust/ mist. Use only outdoors or in a well-ventilated area. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes.

Wear personal protective equipment. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

Safety Data Sheet Safety Data Sheet according to SWA and ADG requirements

Incompatibilities

: Strong acids, bases and oxidising agents. Protect from direct sunlight, heat, sparks, open flames and other sources of ignition.

SECTION	8: Exposure controls/perso	on	al protection
8.1. Ex	posure control measures		
Exposure sta	andards		No value assigned for this specific material by Safe Work Australia.
8.2. Bi	ological monitoring		
No biologica	I limit allocated for the product. No bi	iolo	gical monitoring is required.
8.3. Co	ontrol banding		
Not available	2.		
8.4. En	gineering controls		
Handle in we	ell-ventilated areas, generally natural	ve	ntilation is adequate.
8.5. Inc	dividual protection measures		
Personal pro	tective equipment	:	Avoid all unnecessary exposure. When opening the container, preparing spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow- length PVC gloves and goggles and appropriate respiratory protection. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. After each day's use, wash contaminated clothing and safety equipment.
Eye and face protection		:	Chemical goggles or safety glasses. Eye protection devices should conform to relevant regulations. Consult AS/NZS 1336 and AS/NZS 1337 for further information.
Skin protecti	on	:	Wear protective gloves of impervious material. Occupational protective gloves should conform to relevant regulations. Consult AS/NZS 2161 and AS/NZS 4501 for further information.
Respiratory	protection	:	If ventilation is inadequate, suitable respiratory protection should be worn, consult AS/NZS 1715 and AS/NZS 1716 for further information.
Thermal haz	ards	:	No further relevant information available.
SECTION 9: Physical and chemical properties			

SECTION 9: Physical and chemical	properties
Physical state	: Solid
Colour	: Off-White
Odour	: No data available
Odour threshold	: No data available
рН	: 5.47, 20°C
Density	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Flammability	: Non-flammable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: Not applicable
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: No data available
Explosive properties	: Not an explosive
Oxidising properties	: Not an oxidizer
Explosive limits	: Not applicable
Particle characteristics	: No data available
Partition coefficient: n-octanol/water (log value)	: No data available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. **Chemical stability**

Stable under normal conditions.

Safety Data Sheet

Safety Data Sheet according to SWA and ADG requirements

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases. Keep away from strong oxidising agents.

#### **10.6.** Hazardous decomposition products

Thermal decomposition may result in the release of toxic and/or irritating fumes. Oxides of carbon and nitrogen, other nitrogen compounds, nitrogen, hydrogen cyanide, oxides of sulpuhr, other sulphur compounds.

#### SECTION 11: Toxicological information

11.1. Information on toxicological effects

The information presented below is based on the	to	xicity data for the formulated product, Metsulfuron-Methyl 600g/kg WG.
Albaugh Metsuram 600 WG Herbicide		
Acute toxicity	:	Oral LD50 (rat): > 5000mg/kg (Stillmeadow data)
		Dermal LD50 (rat): > 5050 mg/kg (Stillmeadow data)
		Inhalation LC50 (rat): > 2.27 mg/l/4h (Stillmeadow data)
		Considered to be harmful if inhaled. Not considered to be acutely toxic via oral or dermal routes of exposure, according to available data.
Skin corrosion/irritation		Not a skin irritant according to available information. May be slightly irritating.
Serious eye damage/irritation		Not an eye irritant according to available information. May be slightly irritating.
Respiratory or skin sensitisation		Not a skin sensitiser and not expected to be a respiratory sensitiser according to available information.
Germ cell mutagenicity		Not suspected to cause genetic defects according to available data.
Carcinogenicity		Not considered to be carcinogenic according to available data.
Reproductive toxicity		Not considered to be toxic to reproduction according to available data.
Specific target organ toxicity (single exposure)	:	Not expected to cause toxicity to a specific target organ through single exposure according to available information.
Specific target organ toxicity (repeated exposure)	:	Not expected to cause toxicity to a specific target organ according to available information
Aspiration hazard	:	Not expected to be an aspiration hazard according to available information.

### **SECTION 12: Ecological information**

### 12.1. Ecotoxicity

Very toxic to aquatic life with long lasting effects.

LC50 Fish (Brachydanio rerio)       > 200 mg/l (TECAM data)         EC50 Crustacea (48h)       51.76 mg/l (TECAM data)         ErC50 Algae (Pseudokirchneriella subcapitata)       0.5 mg/l (TECAM data)         Metsulfuron-Methyl         LC50 Fish (96h, Rainbow trout and bluegill sunfish)       > 150 mg/l (EPM)         EC50 Crustacea (48h)       > 120 mg/l (EPM)         EC50 Algae (72h)       0.157 mg/l (EPM)         ErC50 other aquatic plants (Lemna gibba)       0.00036 mg/l (EPM)         12.2.       Persistence and degradability         Persistence and degradability       : No additional information available.         12.3.       Bioaccumulative potential         Bioaccumulative potential       : No additional information available.         12.4.       Mobility in soil         Mobility in soil       : No additional information available.	Albaugh Metsuram 600 WG Herbicide	
EC50 Crustacea (48h)       51.76 mg/l (TECAM data)         ErC50 Algae (Pseudokirchneriella subcapitata)       0.5 mg/l (TECAM data)         Metsulfuron-Methyl		
ErC50 Algae (Pseudokirchneriella subcapitata)       0.5 mg/l (TECAM data)         Metsulfuron-Methyl		
Metsulfuron-Methyl         LC50 Fish (96h, Rainbow trout and bluegill sunfish)       > 150 mg/l (EPM)         EC50 Crustacea (48h)       > 120 mg/l (EPM)         ErC50 Algae (72h)       0.157 mg/l (EPM)         ErC50 other aquatic plants (Lemna gibba)       0.00036 mg/l (EPM)         12.2.       Persistence and degradability         Persistence and degradability       : No additional information available.         12.3.       Bioaccumulative potential         Bioaccumulative potential       : No additional information available.         12.4.       Mobility in soil	EC50 Crustacea (48h)	51.76 mg/l (TECAM data)
LC50 Fish (96h, Rainbow trout and bluegill sunfish)       > 150 mg/l (EPM)         EC50 Crustacea (48h)       > 120 mg/l (EPM)         ErC50 Algae (72h)       0.157 mg/l (EPM)         ErC50 other aquatic plants (Lemna gibba)       0.00036 mg/l (EPM)         12.2.       Persistence and degradability         Persistence and degradability       : No additional information available.         12.3.       Bioaccumulative potential         Bioaccumulative potential       : No additional information available.         12.4.       Mobility in soil	ErC50 Algae (Pseudokirchneriella subcapitata)	0.5 mg/l (TECAM data)
LC50 Fish (96h, Rainbow trout and bluegill sunfish)       > 150 mg/l (EPM)         EC50 Crustacea (48h)       > 120 mg/l (EPM)         ErC50 Algae (72h)       0.157 mg/l (EPM)         ErC50 other aquatic plants (Lemna gibba)       0.00036 mg/l (EPM)         12.2.       Persistence and degradability         Persistence and degradability       : No additional information available.         12.3.       Bioaccumulative potential         Bioaccumulative potential       : No additional information available.         12.4.       Mobility in soil		
EC50 Crustacea (48h)       > 120 mg/l (EPM)         ErC50 Algae (72h)       0.157 mg/l (EPM)         ErC50 other aquatic plants (Lemna gibba)       0.00036 mg/l (EPM)         12.2.       Persistence and degradability         Persistence and degradability       : No additional information available.         12.3.       Bioaccumulative potential         Bioaccumulative potential       : No additional information available.         12.4.       Mobility in soil	Metsulfuron-Methyl	
ErC50 Algae (72h)       0.157 mg/l (EPM)         ErC50 other aquatic plants (Lemna gibba)       0.00036 mg/l (EPM)         12.2.       Persistence and degradability         Persistence and degradability       : No additional information available.         12.3.       Bioaccumulative potential         Bioaccumulative potential       : No additional information available.         12.4.       Mobility in soil	LC50 Fish (96h, Rainbow trout and bluegill sunfish)	> 150 mg/l (EPM)
ErC50 other aquatic plants (Lemna gibba)       0.00036 mg/l (EPM)         12.2. Persistence and degradability       Persistence and degradability         Persistence and degradability       : No additional information available.         12.3. Bioaccumulative potential       Bioaccumulative potential         Bioaccumulative potential       : No additional information available.         12.4. Mobility in soil       12.4. Mobility in soil	EC50 Crustacea (48h)	> 120 mg/l (EPM)
12.2. Persistence and degradability         Persistence and degradability         12.3. Bioaccumulative potential         Bioaccumulative potential         12.4. Mobility in soil	ErC50 Algae (72h)	0.157 mg/l (EPM)
Persistence and degradability       : No additional information available.         12.3. Bioaccumulative potential       : No additional information available.         Bioaccumulative potential       : No additional information available.         12.4. Mobility in soil       : No additional information available.	ErC50 other aquatic plants (Lemna gibba)	0.00036 mg/l (EPM)
12.3.       Bioaccumulative potential         Bioaccumulative potential       : No additional information available.         12.4.       Mobility in soil	12.2. Persistence and degradability	
Bioaccumulative potential       : No additional information available.         12.4.       Mobility in soil	Persistence and degradability : No	additional information available.
12.4. Mobility in soil	12.3. Bioaccumulative potential	
	Bioaccumulative potential : No	additional information available.
Mobility in soil       :       No additional information available.	12.4. Mobility in soil	
	Mobility in soil : No	additional information available.
12.5. Other adverse effects	12.5. Other adverse effects	
Other information : No additional information available.	Other information : No	additional information available.

### Safety Data Sheet

Safety Data Sheet according to SWA and ADG requirements

### **SECTION 13: Disposal considerations**

Triple-rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. Do not burn empty containers or product. Do not reuse container for any other purpose.

Bood and rail transport	. Environmentally Herordous Substances meeting the descriptions of UN 2077 or UN 209
Road and rail transport	: Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail as per the Australian Special Provisions AU01.
Additional Information:	<ul> <li>Australian Special Provisions AU01: Environmentally Hazardous Substances meeting the description of UN 3077 or UN 3082 are not subject to this Code when transported by road or ra in;</li> <li>(a) packagings that do not incorporate a receptacle exceeding 500 Kg (L); or</li> <li>(b) IBCs.</li> </ul>
Marine transport:	: Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; MARINE POLLUTANT
UN Number	: 3077
Proper Shipping Name or Technical Name:	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S (CONTAINS METSULFURON-METHYL)
Transport Hazard Class:	: 9
Packaging Group:	: III
Hazchem Code:	: •2Z
IMDG EMS Fire:	: F-A
IMDG EMS Spill:	: S-F
Environmental Hazards:	: Yes. Marine Pollutant,
•	: Yes. Marine Pollutant, : Not available.

#### Air transport: : IATA provision SP A197: Environm of UN 3077 or UN 3082 are not subj that have inner packages (plastic b

: IATA provision SP A197: Environmentally Hazardous Substances meeting the description of UN 3077 or UN 3082 are not subject to this Code when transported by air in packages that have inner packages (plastic bottles, glass bottles, plastic bags) of 5 L for UN3082 and 5 kg for UN3077 or less.

SECTION 15: Regulatory information		
15.1. Safety, health and environmental regulations		
APVMA Number	: 81100	
Poison Schedule	: None	
AICIS	: Listing in the AICS is not required for products regulated by the APVMA.	

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals) Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants) Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

SECTION 16: Any other re	SECTION 16: Any other relevant information				
Date of issue	: 05/03/2025				
Version	: 001				
Reason(s) for issue	: First issue.				
Literature References	: See respective sections for information				

Safety Data Sheet Safety Data Sheet according to SWA and ADG requirements

Abbreviations	: ADG Code - Australian Code for the Transport of Dangerous Goods by Road and Rail (7th
	edition) AICIS – Australian Industrial Chemicals Introduction Scheme (formerly NICNAS)
	AllC - Australian Inventory of Industrial Chemicals
	APVMA – Agricultural Pesticides and Veterinary Medicines Australia
	ATE - Acute Toxicity Estimate
	BCF - Bioconcentration factor
	BLV - Biological limit value
	BOD - Biochemical oxygen demand (BOD)
	CAS No Chemical Abstract Service number
	COD - Chemical oxygen demand (COD)
	EC50 - Median effective concentration
	EPM - British Crop Protection Council Database, e-Pesticide Manual
	GHS - Globally Harmonised System of Classification and Labelling of Chemicals (7th revised edition) 2017
	IARC - International Agency for Research on Cancer
	IATA - International Air Transport Association
	IMDG - International Maritime Dangerous Goods
	LC50 - Median lethal concentration
	LD50 - Median lethal dose
	LOAEL - Lowest Observed Adverse Effect Level
	NOAEC - No-Observed Adverse Effect Concentration
	NOAEL - No-Observed Adverse Effect Level
	NOEC - No-Observed Effect Concentration
	N.O.S Not Otherwise Specified
	Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice (June 2023)
	STEL - Short term exposure limit means the average airborne concentration of a substanc
	calculated over a 15 minute period. The STEL should not be exceeded at any time during
	normal eight hour working day.
	SUSMP - Standard for the Uniform Scheduling of Medicines & Poisons
	SWA - Safe Work Australia, formerly ASCC and NOHSC
	TECAM – Tecnologia Ambiental São Roque Ltda
	ThOD - Theoretical oxygen demand (ThOD)
	TLM - Median Tolerance Limit
	TGA – Therapeutic Goods Australia
	TWA - Time-weighted average means the average airborne concentration of a particula
	substance when calculated over an eight-hour working day, for a five-day working week.
	VOC - Volatile Organic Compounds
	WHS Workplace Health and Safaty

WHS - Workplace Health and Safety

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product