

HITRAZ[®] 200 EC

FOR THE CONTROL OF HELIOTHIS ON COTTON



Apply Albaugh HITRAZ® 200 EC Insecticide/Miticide as an ovicide mixed with a larvicide when eggs are detected. Repeat treatments at 5 to 7 day intervals, or when necessary, as indicated by regular crop checking. HITRAZ® 200 EC will also provide suppression of mites when used in a spray programme.

PRODUCT OVERVIEW

- HITRAZ® 200 EC is registered to control Helicoverpa species in cotton.
- Compatibility: HITRAZ® 200 EC is not compatible with Folimat* 800. HITRAZ® 200 EC is not recommended for use in mixtures with products based on *Bacillus thuringiensis*.
- Application: Accurate placement and good foliar coverage are essential. Apply in a minimum total volume of 20 L/ha by air or 80 L/ha by ground rig.

ACTIVE INGREDIENT

200 g/L Amitraz

I.R.A.C. GROUP

GROUP 19 INSECTICIDE

FORMULATION

Emulsifiable Concentrate

POISON SCHEDULE

Schedule 6

MODE OF ACTION

Sodium channel modulator

SIGNAL HEADING

POISON KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING

WITHHOLDING PERIOD

Do not apply later than 21 days before harvest.

PACKAGING

5LTR, 10LTR, 20LTR, 200LTR

APVMA APPROVAL NO.

56359/141539

STATES AND TERRITORIES REGISITERED

NSW, QLD, WA



See label for complete application guidelines and restrictions.

