


ICASSO[®] 240 EC

TRUSTED FORMULATION FOR GRASS CONTROL IN A WIDE RANGE OF BROADLEAF CROPS



PRODUCT OVERVIEW

- Use Albaugh ICASSO[®] 240 EC Herbicide for the control of certain grass weeds in beetroot, cabbage, canola, celery, chickpeas, cotton, faba beans, field peas, forestry, lentils, lettuce, lupins, mung beans, non-bearing fruit trees, onions, ornamentals, peanuts, potatoes and soy beans.

KEY WEEDS CONTROLLED OR SUPPRESSED

Grasses

Barnyard grass (*Echinochloa spp.*), Blown grass (*Agrostis aveacea*), Crowsfoot grass (*Eleusine indica*), Feathertop Rhodes grass (*Chloris virgata*), Liverseed grass (*Urochloa panicoides*), Paradoxa grass (*Phalaris paradoxa*), Red sprangletop grass (*Leptochloa filiformis*), Seedling Johnson grass, Annual ryegrass (*Lolium rigidum*), Annual phalaris (*Phalaris minor*), 2-leaf to fully tillered, Barley grass (*Hordeum leporinum*), Brome grass (*Bromus diandrus*), Wild Oats (*Avena spp.*).

Always apply with D-C-Trate at 2L/100L or Hasten at 1L/100L or Kwickin at 1L/100L or Uptake at 500mL/100L spray volume. The lower rates will provide effective control if applied under ideal conditions to weeds that are smaller, actively growing and free from temperature or water stress. Use a spray volume of 150L/ha when spraying dense grass populations.

ACTIVE INGREDIENT

240 g/L Clethodim

H.R.A.C. GROUP

GROUP 1 HERBICIDE

FORMULATION

Emulsifiable Concentrate

POISON SCHEDULE

Schedule 5

COMPARE TO

Select[®]

MODE OF ACTION

ACCcase inhibitor

SIGNAL HEADING

CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

PACKAGING

20LTR, 110LTR

APVMA APPROVAL NO.

80906/141767

STATES AND TERRITORIES REGISTERED

ACT, NSW, NT, QLD, SA, TAS, VIC, WA



Select[®] is a registered trademark of UPL