
UNGICIDE


MILOR® 720 WP CONTROL OF DOWNY MILDEW AND CERTAIN OTHER FOLIAR

DISEASES



PRODUCT OVERVIEW

- Dilute spraying: Apply to the point of run-off. Use a minimum of 500 litres mixture per hectare before flowering, increasing volume to a minimum of 1000 litres per hectare when vines are in full foliage.
- Concentrate spraying: Use a minimum of 125 litres mixture per hectare before flowering, increasing volume to a minimum of 250 litres per hectare when vines are in full foliage.
- Registered crops: cucurbit, grapevine, lettuce, onion, ornamental, poppy, potato, rhubarb.



ACTIVE INGREDIENT 640 g/kg Mancozeb 80 g/kg Metalaxyl

F.R.A.C. GROUP GROUP 4 M3 FUNGICIDE

FORMULATION Wettable Powder

POISON SCHEDULE Schedule 5

COMPARE TO Various

MODE OF ACTION Multi-site contact activity

SIGNAL HEADING

CAUTION KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING

PACKAGING 10KG

APVMA APPROVAL NO. 69437/141465

STATES AND TERRITORIES REGISITERED ACT, NSW, NT, QLD, SA, TAS, VIC, WA





See label for complete application guidelines and restrictions.