

MANAGEMENT OF BOTTLES, PACKING, RESIDUES AND REMANENTS

In case of liquid spillage or residues of pesticides absorb with sand, wood chips or any absorbent material, for solids pick up as much as possible, placing the residues in a hermetic container and take to the distributor or dispose of in authorized landfill.

Use the entire content of the bottles and when empty wash and triple rinse with clean water, adding the solution to the spray tank, destroy or puncture the empty containers. If the country has an official program for collection and empty container disposal, take these to the closest collecting center or dispose according with the instructions of the distributor of the product.

EMPTY CONTAINERS NEED TO BE WASHED THREE TIMES; WATER RESULTING FROM THE TRIPLE RINSE MUST BE ADDED TO THE SPRAYING TANK.

USING THE EMPTY PACKING AND CONTAINERS FOR DIFFERENT USE AS INTENDED, REPRESENTS A RISK TO HUMANS AND THE ENVIRONMENT.

GUARANTEE NOTE

The manufacturer and registrant guarantees the quality of the product in its original and sealed hermetic container. It also guarantees the efficacy of the product, if it is used as indicated in the pamphlet. Since the storage and handling is out of our control it is impossible to assume the responsibility of damage resulting from such factors. We also guarantee the chemical composition of the product as indicated in the label, when the bottle is originally sealed.

MANUFACTURER

JIANGSU ROTAM CHEMISTRY CO. LTD., CHINA
PHONE: 0512 - 5771 - 1988 FAX: 0512 - 5771 - 8697

IMPORTER: DISTRIBUTOR:

COUNTRY	NUMBER REGISTRATION	DATE OF REGISTRATION
Jamaica	xxxxx	xxxxxxxxx

KEEP OUT OF THE REACH OF CHILDREN

STOP! AND READ THIS PAMPHLET BEFORE USING THE PRODUCT AND CONSULT A PROFESSIONAL IN AGRICULTURAL SCIENCES

ROTAPRID® 35 SC

INSECTICIDE - CHLORONICOTINIL
IMIDACLOPRID

CAUTION

ANTÍDOTE: NO KNOWN ANTIDOTE

DENSITY: 1.18 g/ml at 20 °C

THIS PRODUCT IS MODERATELY TOXIC, IT DOES NOT IRRITATE EYES OR SKIN, BUT NORMAL PRECAUTIONS SHOULD BE USED DURING HANDLING AND APPLICATION OF THIS PRODUCT.



**DO NOT STORE IN HOMES
STORE AWAY FROM CHILDREN, MENTALLY ILL PEOPLE,
DOMESTIC ANIMALS, FOOD AND MEDICINE**

AGRONOMIC USE:

MODE OF ACTION:

ROTAPRID® 35 SC is a systemic insecticide, which acts by contact and ingestion. In the plant it is an insecticide with strong systemic action, presenting acro petal movement. In the insect it stimulates the ligation of GABA (Gama amino butiric acid) inhibiting the neuro muscular transmission. Suseptible insects are paralyzed and die.

APPLICATION EQUIPMENT:

ROTAPRID® 35 SC can be applied using manual or motorized pump back or tractor, or plane, with nozzles for high volume, low volume or ultra low volume. Ensure application equipment is in good condition. Calibrate using water before starting treatment. the manufacturer recommends that the equipment used in applying **ROTAPRID® 35 SC** should be given maintenance. This product does not require additional maintenance guidelines on application equipment. For applications we recommend using hollow cone nozzle for good coverage of foliage. Not have any harmful action on the application equipment. Use the following protective equipment to handle the product during the preparation of the mixture, charging and application: boots, face mask, goggles, gloves, and sprayequipment in good condition.



PREPARING THE SPRAY MIXTURE:

It is recommended to prepare a pre mix of the dosage to be used and water, after that fill the spray tank to ½ the volume of the required water, start stirring, add the premix to the tank and while stirring add the rest of the water up to the required volume. Use complete personal protection equipment to prepare the spray mix. La used equipments need to be washed carefully after preparing and applying the product.



RECOMMENDED USES:

USES AUTHORIZED IN JAMAICA

CROPS	PESTS	RATES
Potato (<i>Solanum tuberosum</i>)	Trips (<i>Trips palmi</i>) stinkbug (<i>Nezara viridula</i>)	0.5-1.0 L/Ha (0.35-0.7 L/Mz)
Melon (<i>Cucumis melo</i>)	White fly (<i>Bemisia tabaci</i>)	0.5-1.0 L/Ha (0.35-0.7 L/Mz)
Onion (<i>Allium cepa</i>)	Aphids (<i>Aphis gossypii</i>)	0.5-1.0 L/Ha (0.35-0.7 L/Mz)
Rice (<i>Oryza sativa</i>)	Leaf miner (<i>Hidrellia spp</i>) Sogata (<i>Tagosodes spp</i>)	0.5-1.0 L/Ha (0.35-0.7 L/Mz)
Tomato (<i>Lycopersicon sculentum</i>)	White fly (<i>Bemisia tabaci</i>)	0.5-1.0 L/Ha (0.35-0.7 L/Mz)
Citrus (<i>Citrus spp</i>)	Leaf hoppers (<i>Hortensia spp</i>)	0.5-1.0 L/Ha (0.35-0.7 L/Mz)

APPLICATION TIMING:

Apply with signs of first insect attack, or preventive in fields with history of early attack.

APPLICATION INTERVAL:

Apply to the base of the plant from 0 - 7 days after transplant and repeat 21 days later.

PRE HARVEST INTERVAL: 21 días.

APPLICATION RE ENTRY PERIOD:

It is recommended to re enter the applied area only when the spray residue has dried completely. If re entry is required before that complete personal protection should be used

PHYTOTOXICITY:

ROTAPRID 35 SC is not toxic to the crops indicated in the label y used in accordance with the recommendations

COMPATIBILITY:

Uses in accordance with the recommendations of the manufacturer **ROTAPRID 35 SC** is compatible and does not cause phytotoxicity to the crops for which it has been developed. It can be applied in tank mix with other commonly used agricultural products, but before making a mix for the first time it is recommended to make a small scale test.

PRECAUTIONS AND INSTRUCTIONS OF USE:

STORAGE AND TRANSPORT:

Do not transport or store this product together with food, medicine, clothing, household utensils or forages. Store this product under lock, in a fresh, dry place, away from heat or fire. Keep and store this product only in its original container, with corresponding label and well sealed. Transport and store away from herbicides. **ROTAPRID 35 SC** is not flammable or corrosive, but do not place near to sources of high heat.

**DO NOT STORE IN HOMES
STORE AWAY FROM CHILDREN, MENTALLY ILL PERSONS
DOMESTIC ANIMALS, FOOD AND MEDICINE**

**DO NOT EAT, SMOKE OR DRINK DURING THE HANDLING AND
APPLICATION OF THIS PRODUCT, TAKE A SHOWER AFTER
WORK AND PUT ON CLEAN CLOTHS.**



SYMPTOMS OF INTOXICATION:

Symptoms of intoxication include midrise (pupil dilatation), ataxia (dizziness) and muscle tremors.

FIRST AID:

BY INGESTION: Do not induce vomit, wash mouth and administer 3 to 4 spoons of activated carbon in half a glass of water. Go to a medical doctor.
BY CONTACT WITH SKIN: By contact with skin wash with abundant water and soap.

BY INHALACIÓN: Move the affected person to a place with fresh air and keep at rest until fully recovered.

BY CONTACT WITH EYES: wash eyes with abundant clean water during 15 minutes, consult a medical doctor.

**NEWER GIVE DRINK OR INDUCE VOMIT TO PERSONS WICH IS NOT
CONIOUS**

ANTIDOTE AND MEDICAL TREATMENT:

There is no specific antidote, treat the patient symptomatically.

NATIONAL CENTERS OF INTOXICATIONS

COUNTRY	INSTITUTE	TELEPHONE
JAMAICA	POISON CONTROL CENTER	CARPIN

ENVIRONMENTAL HAZARDS



TOXIC TO FISH AND CRUSTACEAE

**DO NOT CONTAMINATE RIVERS, LAKES, PONDS OR GROUND WATER
WITH THIS PRODUCT OR WITH CONTAINERS AND BOTTLES**