



GLIDER® 72 SC

(Chlorothalonil 720 g/L)

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Date of issue: 7/12/2012

Revision date: 7/6/2016

Supersedes:

Version: 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : Glider 72 SC
(Chlorothalonil 720 g/L)
Product code : FF-030

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : For professional use only
Use of the substance/mixture : Agriculture Fungicide

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Rotam Agrochemical Company Limited
Unit 6, 26/F, Trend Centre, 29 Cheung Lee Street, Chai Wan, Hong Kong
T 00852 2896 0662 - F 00852 25586577
msds@rotam.com

MANUFACTURER AND FORMULATOR:

JIANGSU ROTAM CHEMISTRY, CO., LTD.
N° 88 Rotam Road, ETDZ, Kunshan 215301, Jiangsu. China.
TEL: 0512 – 5771 – 1988 FAX: 0512 – 5771 – 8697

1.4. Emergency telephone number

Emergency number : (86) 532 8388 9090

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

| | | |
|--|------|-----------------------|
| Acute toxicity (inhalation:dust,mist) Category 3 | H331 | On basis of test data |
| Serious eye damage/eye irritation, Category 2 | H319 | Expert judgment |
| Carcinogenicity, Category 2 | H351 | Calculation method |
| Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation | H335 | Calculation method |
| Hazardous to the aquatic environment — Acute Hazard, Category 1 | H400 | On basis of test data |
| Hazardous to the aquatic environment — Chronic Hazard, Category 1 | H410 | Calculation method |

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Suspected of causing cancer. Toxic if inhaled. May cause respiratory irritation. Causes serious eye irritation. Very toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS06

GHS08

GHS09

Signal word (CLP) :

Danger

Hazardous ingredients :

Chlorothalonil (ISO); tetrachloroisophthalonitrile

Hazard statements (CLP) :

H319 - Causes serious eye irritation
H331 - Toxic if inhaled
H335 - May cause respiratory irritation
H351 - Suspected of causing cancer

GLIDER® 72 SC

Safety Data Sheet

according to Regulation (EC) No. 453/2010

| | |
|--------------------------------|---|
| Precautionary statements (CLP) | H410 - Very toxic to aquatic life with long lasting effects : P201 - Obtain special instructions before use P202 - Do not handle until all safety precautions have been read and understood P261 - Avoid breathing dust, mist P264 - Wash hands thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P273 - Avoid release to the environment P280 - Wear protective clothing, protective gloves P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P308+P313 - IF exposed or concerned: Get medical advice/attention P311 - Call a POISON CENTER P321 - Specific treatment (see the instruction on this label) P337+P313 - If eye irritation persists: Get medical advice/attention P391 - Collect spillage P403+P233 - Store in a well-ventilated place. Keep container tightly closed P405 - Store locked up P501 - Dispose of contents/container according to local regulation |
|--------------------------------|---|

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

| Name | Product identifier | g/L | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--|---|-----|---|
| Chlorothalonil (ISO); tetrachloroisophthalonitrile | (CAS No) 1897-45-6 (EC no) 217-588-1 (EC index no) 608-014-00-4 | 720 | Acute Tox. 2 (Inhalation:dust,mist), H330 Carc. 2, H351 STOT SE 3, H335 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 |

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|--|
| First-aid measures general | : IF exposed or concerned: Get medical advice/attention. |
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. Call a doctor. |
| First-aid measures after skin contact | : Wash skin with plenty of water. |
| First-aid measures after eye contact | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| First-aid measures after ingestion | : Call a poison center or a doctor if you feel unwell. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|-------------------------------------|-------------------------------------|
| Symptoms/injuries after inhalation | : May cause respiratory irritation. |
| Symptoms/injuries after eye contact | : Eye irritation. |

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

GLIDER® 72 SC

Safety Data Sheet

according to Regulation (EC) No. 453/2010

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Hand protection : Protective gloves

Eye protection : Safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear respiratory protection

Environmental exposure controls : Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Off-white to white

Colour : No data available

Odour : No data available

Odour threshold : No data available

pH : 6.57

Relative evaporation rate (butylacetate=1) : No data available

Melting point : Not applicable

Freezing point : No data available

Boiling point : No data available

Flash point : No data available

Auto-ignition temperature : No data available

GLIDER® 72 SC

Safety Data Sheet

according to Regulation (EC) No. 453/2010

| | |
|----------------------------------|---------------------|
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : Not applicable |
| Vapour pressure | : No data available |
| Relative vapour density at 20 °C | : No data available |
| Relative density | : 1.343 |
| Solubility | : No data available |
| Log Pow | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosive properties | : No data available |
| Oxidising properties | : No data available |
| Explosive limits | : No data available |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage, and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Inhalation:dust,mist: Toxic if inhaled.

| GLIDER® 72 SC | |
|----------------------------|-----------------------|
| LD50 oral rat | > 5000 mg/kg (TECAM) |
| LD50 dermal rat | > 5000 mg/kg (TECAM) |
| LC50 inhalation rat (mg/l) | 0.712 mg/l/4h (TECAM) |
| ATE CLP (vapours) | 0.712 mg/l/4h |
| ATE CLP (dust,mist) | 0.712 mg/l/4h |

| Chlorothalonil (ISO); tetrachloroisophthalonitrile (1897-45-6) | |
|--|-----|
| LC50 inhalation rat (mg/l) | 0.1 |

| | |
|--|-------------------------------------|
| Skin corrosion/irritation | : Not classified |
| Serious eye damage/irritation | : Causes serious eye irritation. |
| Respiratory or skin sensitisation | : Not classified. |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Suspected of causing cancer. |
| Reproductive toxicity | : Not classified |
| Specific target organ toxicity (single exposure) | : May cause respiratory irritation. |
| Specific target organ toxicity (repeated exposure) | : Not classified |
| Aspiration hazard | : Not classified |

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Very toxic to aquatic life with long lasting effects.

GLIDER® 72 SC

Safety Data Sheet

according to Regulation (EC) No. 453/2010

| GLIDER® 72 SC | |
|----------------|--|
| LC50 fish 1 | (96h) 0.06 mg/l (Brachydanio rerio, TECAM) |
| EC50 Daphnia 1 | (48h) 0.12 mg/l (Daphnia similis, TECAM) |
| ErC50 (algae) | (72h) 0.09 mg/l (Pseudokirchneriella subcapitata, TECAM) |

| Chlorothalonil (ISO); tetrachloroisophthalonitrile (1897-45-6) | |
|--|-------------|
| LC50 fish 1 | 0.0062 |
| EC50 Daphnia 1 | 70 µg/l |
| ErC50 (algae) | 0.0051 mg/l |

12.2. Persistence and degradability

| Chlorothalonil (ISO); tetrachloroisophthalonitrile (1897-45-6) | |
|--|---|
| Persistence and degradability | May cause long-term adverse effects in the environment. |

12.3. Bioaccumulative potential

| Chlorothalonil (ISO); tetrachloroisophthalonitrile (1897-45-6) | |
|--|------------------|
| Bioaccumulative potential | Not established. |

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

| | |
|---------------|--------|
| UN-No. (ADR) | : 2902 |
| UN-No. (IMDG) | : 2902 |
| UN-No. (IATA) | : 2902 |
| UN-No. (ADN) | : 2902 |
| UN-No. (RID) | : 2902 |

14.2. UN proper shipping name

| | |
|-----------------------------|------------------------------------|
| Proper Shipping Name (ADR) | : PESTICIDE, LIQUID, TOXIC, N.O.S. |
| Proper Shipping Name (IMDG) | : PESTICIDE, LIQUID, TOXIC, N.O.S. |
| Proper Shipping Name (IATA) | : Pesticide, liquid, toxic, n.o.s. |
| Proper Shipping Name (ADN) | : PESTICIDE, LIQUID, TOXIC, N.O.S. |
| Proper Shipping Name (RID) | : PESTICIDE, LIQUID, TOXIC, N.O.S. |

14.3. Transport hazard class(es)

ADR

| | |
|----------------------------------|-------|
| Transport hazard class(es) (ADR) | : 6.1 |
| Danger labels (ADR) | : 6.1 |



IMDG

| | |
|-----------------------------------|-------|
| Transport hazard class(es) (IMDG) | : 6.1 |
| Danger labels (IMDG) | : 6.1 |

GLIDER® 72 SC

Safety Data Sheet

according to Regulation (EC) No. 453/2010



IATA

Transport hazard class(es) (IATA) : 6.1

Hazard labels (IATA) : 6.1



ADN

Transport hazard class(es) (ADN) : 6.1

Danger labels (ADN) : 6.1



RID

Transport hazard class(es) (RID) : 6.1

Danger labels (RID) : 6.1



14.4. Packing group

Packing group (ADR) : III

Packing group (IMDG) : III

Packing group (IATA) : III

Packing group (ADN) : III

Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : Yes

Marine pollutant :



Yes

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : T6

Special provisions (ADR) : 61, 274, 648

Limited quantities (ADR) : 5I

Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19

Portable tank and bulk container instructions (ADR) : T7

GLIDER® 72 SC

Safety Data Sheet

according to Regulation (EC) No. 453/2010

| | |
|---|--------------|
| Portable tank and bulk container special provisions (ADR) | : TP2, TP28 |
| Tank code (ADR) | : L4BH |
| Tank special provisions (ADR) | : TU15, TE19 |
| Vehicle for tank carriage | : AT |
| Transport category (ADR) | : 2 |
| Special provisions for carriage - Packages (ADR) | : V12 |
| Special provisions for carriage - Loading, unloading and handling (ADR) | : CV13, CV28 |
| Special provisions for carriage - Operation (ADR) | : S9 |
| Hazard identification number (Kemler No.) | : 60 |
| Orange plates | : |



| | |
|-------------------------------|------|
| Tunnel restriction code (ADR) | : E |
| EAC code | : 2X |
| APP code | : B |

- Transport by sea

| | |
|---------------------------------|----------------|
| Special provisions (IMDG) | : 61, 223, 274 |
| Limited quantities (IMDG) | : 5 L |
| Excepted quantities (IMDG) | : E1 |
| Packing instructions (IMDG) | : P001, LP01 |
| IBC packing instructions (IMDG) | : IBC03 |
| Tank instructions (IMDG) | : T7 |
| Tank special provisions (IMDG) | : TP2, TP28 |
| EmS-No. (Fire) | : F-A |
| EmS-No. (Spillage) | : S-A |
| Stowage category (IMDG) | : A |
| Stowage and handling (IMDG) | : SW2 |

- Air transport

| | |
|--|----------|
| PCA Excepted quantities (IATA) | : E1 |
| PCA Limited quantities (IATA) | : Y642 |
| PCA limited quantity max net quantity (IATA) | : 2L |
| PCA packing instructions (IATA) | : 655 |
| PCA max net quantity (IATA) | : 60L |
| CAO packing instructions (IATA) | : 663 |
| CAO max net quantity (IATA) | : 220L |
| Special provisions (IATA) | : A3, A4 |
| ERG code (IATA) | : 6L |

- Inland waterway transport

| | |
|-----------------------------------|---------------------|
| Classification code (ADN) | : T6 |
| Special provisions (ADN) | : 61, 274, 648, 802 |
| Limited quantities (ADN) | : 5 L |
| Excepted quantities (ADN) | : E1 |
| Equipment required (ADN) | : PP, EP, TOX, A |
| Ventilation (ADN) | : VE02 |
| Number of blue cones/lights (ADN) | : 0 |

- Rail transport

| | |
|--------------------------------|---------------------------|
| Classification code (RID) | : T6 |
| Special provisions (RID) | : 61, 274, 648 |
| Limited quantities (RID) | : 5L |
| Excepted quantities (RID) | : E1 |
| Packing instructions (RID) | : P001, IBC03, LP01, R001 |
| Mixed packing provisions (RID) | : MP19 |

GLIDER® 72 SC

Safety Data Sheet

according to Regulation (EC) No. 453/2010

| | |
|---|--------------------|
| Portable tank and bulk container instructions (RID) | : T7 |
| Portable tank and bulk container special provisions (RID) | : TP2, TP28 |
| Tank codes for RID tanks (RID) | : L4BH |
| Special provisions for RID tanks (RID) | : TU15 |
| Transport category (RID) | : 2 |
| Special provisions for carriage – Packages (RID) | : W12 |
| Special provisions for carriage - Loading, unloading and handling (RID) | : CW13, CW28, CW31 |
| Colis express (express parcels) (RID) | : CE8, CE12 |
| Hazard identification number (RID) | : 60 |

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions
Contains no substance on the REACH candidate list
Contains no REACH Annex XIV substances

15.1.2. National regulations

Germany

| | |
|--|--|
| VwVwS Annex reference | : Water hazard class (WGK) 3, severe hazard to waters (Classification according to VwVwS, Annex 4) |
| 12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV | : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance) |

Netherlands

| | |
|---|-------------------------------------|
| SZW-lijst van kankerverwekkende stoffen | : None of the components are listed |
| SZW-lijst van mutagene stoffen | : None of the components are listed |
| NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding | : None of the components are listed |
| NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid | : None of the components are listed |
| NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling | : None of the components are listed |

Denmark

| | |
|-----------------------------------|--|
| Recommendations Danish Regulation | : Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal |
|-----------------------------------|--|

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:

| | |
|-------------------------------------|--|
| Acute Tox. 2 (Inhalation:dust,mist) | Acute toxicity (inhalation:dust,mist) Category 2 |
| Aquatic Acute 1 | Hazardous to the aquatic environment — Acute Hazard, Category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment — Chronic Hazard, Category 1 |
| Carc. 2 | Carcinogenicity, Category 2 |
| STOT SE 3 | Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation |
| H319 | Causes serious eye irritation |
| H330 | Fatal if inhaled |
| H331 | Toxic if inhaled |
| H335 | May cause respiratory irritation |

GLIDER® 72 SC

Safety Data Sheet

according to Regulation (EC) No. 453/2010

| | |
|------|--|
| H351 | Suspected of causing cancer |
| H400 | Very toxic to aquatic life |
| H410 | Very toxic to aquatic life with long lasting effects |

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product