(in accordance with Regulation (EU) 2020/878)

SAVVY PREMIUM

Version 1 Date of compilation: 29/03/2021 Version 4 (replaces version 3) Revision date: 15/07/2024 vour alternative

ALB

Page 1 of 10 Print date: 15/07/2024

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING.

1.1 Product identifier.

Product Name: Registration number: Composition:

SAVVY PREMIUM 20642 Metsulfuron-methyl 200 g/kg SG

1.2 Relevant identified uses of the substance or mixture and uses advised against.

Agricultural herbicide for professional use

Uses advised against:

Uses other than those recommended.

1.3 Details of the supplier of the safety data sheet.

Company: Address:	Albaugh Europe Sàrl World Trade Center Lausanne Avenue Gratta-Paille 2 1018 - Lausanne
	Switzerland
Phone:	+41 21 799 9130
Fax:	+41 21 21 799 9139
E-mail:	msdn_valencia@albaugh.eu
Web:	www.albaugh.eu

1.4 Emergency telephone number: (Available 24 hours)

UK National Poisons Information Service: +44 (0)121 507 4123 (For health professionals only). (24 hours).

Advice on medical emergencies, fires and major spills: +44 (0) 1235 239 670. 24 hours a day. All EU languages.


SECTION 2: HAZARDS IDENTIFICATION.

2.1 Classification of the substance or mixture.

In accordance with Regulation (EC) No 1272/2008: Aquatic Acute 1 : Very toxic to aquatic life. Aquatic Chronic 1 : Very toxic to aquatic life with long lasting effects. Eye Dam. 1 : Causes serious eye damage.

2.2 Label elements.

Labelling in accordance with Regulation (EC) No 1272/2008: Pictograms:



- Wear eye protection. P280
- P302+P352 IF ON SKIN: Wash witth soap and water.

(in accordance with Regulation (EU) 2020/878)

SAVVY PREMIUM



Version 1 Date of compilation: 29/03/2021

Version 4 (replaces version 3)

Revision date: 15/07/2024

Page 2 of 10 Print date: 15/07/2024

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or a doctor/physician.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P362 Take off contaminated clothing and wash before reuse.

P391 Collect spillage.

P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

EUH statements:

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

Do not contaminate surface water with the product or its container (do not clean application equipment near surface water/Avoid contamination via drains from farmyards and roads).

2.3 Other hazards.

The mixture does not contain substances classified as PBT. The mixture does not contain substances classified as vPvB. The mixture does not contain any endocrine disrupting properties substances.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.

3.1 Substances.

Not applicable.

3.2 Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

			(*)Classification - Regulation (EC) No 1272/2008	
Identifiers	Name	Concentrate	Classification	Specifics concentration limits and Acute toxicity estimate
Index No: 613-139- 00-2 CAS No: 74223-64-6	metsulfuron-methyl (ISO), methyl-2-{[(4methoxy- 6methyl-1,3,5-triazin-2- yl)carbamoyl]sulfamoyl}benzoate	20%	Aquatic Acute 1, H400 (M=1000) - Aquatic Chronic 1, H410 (M=1000)	-
Index No: 011-005- 00-2 CAS No: 497-19-8 EC No: 207-838-8 Registration No: 01- 2119485498-19-XXXX	sodium carbonate	>=10% < 25%	Eye Irrit. 2, H319	-
	Mixture of aromatic hydrocarbons, C10-13, reaction products w ith branched nonene, sulfonated, sodium salts	>=2,5% <10%	Eye Dam. 1, H318 - Skin Irrit. 2, H315	-

(*) The complete text of the H phrases is given in section 16 of this Safety Data Sheet.

SECTION 4: FIRST AID MEASURES.

4.1 Description of first aid measures.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

(in accordance with Regulation (EU) 2020/878)

SAVVY PREMIUM

Version 1 Date of compilation: 29/03/2021

Version 4 (replaces version 3) Revision date: 15/07/2024



Page 3 of 10 Print date: 15/07/2024

Eye contact.

Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance. Dont let the person to rub the affected eye.

Skin contact.

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners.

Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed.

Corrosive Product, contact with eyes or skin can cause burns; ingestion or inhalation can cause internal damage, if this occurs immediate medical assistance is required.

Contact with eyes may cause irreversible damage.

4.3 Indication of any immediate medical attention and special treatment needed.

Request immediate medical attention. Never administer anything orally to persons who are unconscious. Do not induce vomiting. If the person vomits, clear the respiratory tract. Cover the affected area with a dry sterile bandage. Protect the affected area from pressure or friction.

SECTION 5: FIREFIGHTING MEASURES.

The product does not present any particular risk in case of fire.

5.1 Extinguishing media.

Suitable extinguishing media:

Extinguisher powder or CO2. In case of more serious fires, also alcohol-resistant foam and water spray.

Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

5.2 Special hazards arising from the substance or mixture.

Special risks.

Exposure to combustion or decomposition products can be harmful to your health.

5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways. Product residues and extinguishing media may contaminate the aquatic environment.

Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

SECTION 6: ACCIDENTAL RELEASE MEASURES.

6.1 Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8.

6.2 Environmental precautions.

Product dangerous for the environment, in case of large spills or if the product contaminates lakes, rivers, or sewers, inform the responsible authorities according to local legislation. Prevent the contamination of drains, surface or subterranean waters, and the ground.

6.3 Methods and material for containment and cleaning up.


Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations (see section 13).

(in accordance with Regulation (EU) 2020/878)

SAVVY PREMIUM

Date of compilation: 29/03/2021 Version 1



Page 4 of 10 Print date: 15/07/2024

vour alternative

NB

6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8. For later elimination of waste, follow the recommendations under section 13.

SECTION 7: HANDLING AND STORAGE.

7.1 Precautions for safe handling.

For personal protection, see section 8. In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

7.2 Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 25 ° C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorised persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

Classification and threshold amount of storage in accordance with Annex I to Directive 2012/18/EU (SEVESO III):

		Qualifying quant the applic	• • •
Code	Description	Lower-tier requirements	Upper-tier requirements
E1	ENVIRONMENTAL HAZARDS - Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1	100	200

7.3 Specific end use(s).

Use reserved for farmers and professional users. Uses of the product indicated in the label.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

8.1 Control parameters.

The product does NOT contain substances with Professional Exposure Environmental Limit Values. The product does NOT contain substances with Biological Limit Values.

8.2 Exposure controls.

Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

Concentration:	100 %
Uses:	Agricultural herbicide for professional use
Breathing protect	ion:
PPE:	Particle filter mask
Characteristics:	«CE» marking, category III. Made of filtering material, it covers nose, mouth and chin.
CEN standards:	EN 149
Maintenance:	Check for any tears, defects, etc. before use. Since it is disposable individual protection equipment, it should be replaced after use.
Observations:	Does not protect worker unless properly adjusted. Follow the manufacturer's instructions regarding suitable use of the equipment.
Filter Type needed:	P2
Hand protection:	
PPE:	Protective gloves against chemicals.
Characteristics:	«CE» marking, category III.
CEN standards:	EN 374-1, En 374-2, EN 374-3, EN 420

(in accordance with Regulation (EU) 2020/878)

SAVVY PREMIUM



Version 1 I Version 4 (repla	Date of compilation: 29/03/2021 Ices version 3) Revision date: 15/07/2024	Page 5 of 10 Print date: 15/07/2024	
Maintenance:	Keep in a dry place, away from any sources of heat, and avoid expose Do not make any changes to the gloves that may alter their resistance adhesives.	e, or apply paints, solvents or	
Observations:	Gloves should be of the appropriate size and fit the user's hand well, Always use with clean, dry hands.	not being too loose or too tight.	
Material:	PVC (polyvinyl chloride) Breakthrough time > 480 (min.):	Material thickness (mm): 0,35	
Eye protection:			
PPE: Characteristics:	Protective goggles against particle impacts. «CE» marking, category II. Eye protector against dust and smoke.		
CEN standards:	EN 165, EN 166, EN 167, EN 168		
Maintenance:	Visibility through lenses should be ideal. Therefore, these parts should be disinfected periodically following the manufacturer's instructions.		
Observations:	Some signs of wear and tear include: yellow colouring of the lenses, s scraping etc.	superficial scratching of the lenses,	
Skin protection			
PPE:	Chemical protective clothing		
Characteristics:	«CE» marking, category III. Clothing should fit properly. The level of protection must be set according to a test parameter called BT (Breakthrough Time), which indicates how long it takes for the chemical to pass through the material.		
CEN standards:	EN 464,EN 340, EN 943-1, EN 943-2, EN ISO 6529, EN ISO 6530, EN 13034		
Maintenance:	In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer.		
Observations:	The protective clothing's design should facilitate correct positioning, s the period of use expected, bearing in mind environmental factors as the user might adopt while carrying out the activity.		
PPE:	Anti-static safety footwear against chemicals.		
Characteristics:	«CE» marking, category III. Check the list of chemicals against which is resistant.		
CEN standards:	EN ISO 13287, EN 13832-1, EN 13832-2, EN 13832-3, EN ISO 20 20345		
Maintenance:	For correct maintenance of this kind of safety footwear, it is necessar specified by the manufacturer. The footwear should be replaced as so observed.		
Observations:	The footwear should be cleaned regularly and dried when damp, alth close to a source of heat in order to avoid any sharp changes in temp		

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.

9.1 Information on basic physical and chemical properties.

Physical state: Solid Colour: Brown Odour: No characteristic odour Odour threshold: Not available Melting point: 158°C (active substance: Metsulfuron-methyl, (EFSA Journal 2015,13(1):3936)) Freezing point: Not available Boiling point or initial boiling point and boiling range: Not available Flammability: Non-flammable (EEC A.10) Lower explosion limit: Not available Upper explosion limit: Not available Flash point: >60 °C Auto-ignition temperature: Non-self-flammable below 275°C (EEC A.16) Decomposition temperature: 164°C (substance active : Metsulfuron-méthyl, (EFSA Journal 2015,13(1):3936)) pH: 10.21 (1%) Kinematic viscosity: Not available Solubility: Not available Hydrosolubility: 2.79 g/L at 25°C and pH 7 (active substance: Metsulfuron-methyl, (EFSA Journal 2015,13(1):3936)) Liposolubility: Not available Partition coefficient n-octanol/water (log value): -1.7 at 20°C and pH=7 (active substance: Metsulfuron-methyl, (EFSA Journal 2015,13(1):3936)) Vapour pressure: Not available Absolute density: Not available Relative density: Not available

(in accordance with Regulation (EU) 2020/878)

SAVVY PREMIUM

Version 1 Date of compilation: 29/03/2021 Version 4 (replaces version 3) Revision date: 15/07/2024 Page 6 of 10 Print date: 15/07/2024

vour alternative

ALBAI

Relative vapour density: Not available Particle characteristics: Not available

9.2 Other information

Information with regard to physical hazard classes Explosives:

Explosive properties: Non-explosive Oxidizing solids: Oxidizing properties: Non oxidising

SECTION 10: STABILITY AND REACTIVITY.

10.1 Reactivity.

The product does not present hazards by their reactivity.

10.2 Chemical stability.

Stable under the recommended handling and storage conditions (see section 7).

10.3 Possibility of hazardous reactions.

The product does not present possibility of hazardous reactions.

10.4 Conditions to avoid.

Avoid any improper handling.

10.5 Incompatible materials.

Keep away from oxidising agents and from highly alkaline or acidic materials in order to prevent exothermic reactions.

10.6 Hazardous decomposition products.

No decomposition if used for the intended uses.

SECTION 11: TOXICOLOGICAL INFORMATION.

11.1 Information on hazard classes as defined in Regulation (EC) Nº 1272/2008.

There are no tested data available on the product. Splatters in the eyes can cause irritation and reversible damage.

a) acute toxicity; Matculfuron-methyl 20 g/kg SG

etsulfuron-metnyi 20 g/	Kġ SG
Oral	Not classified (Method of calculation)
Dermal	Not classified (Method of calculation)
Inhalation	Not classified (Calculation method)

b) skin corrosion/irritation; Based on available data, the classification criteria are not met.

c) serious eye damage/irritation; Product classified: Serious eye damage, Category 1: Causes serious eye damage.

d) respiratory or skin sensitisation; Not conclusive data for classification.

e) germ cell mutagenicity; Not conclusive data for classification.

f) carcinogenicity; Not conclusive data for classification.

g) reproductive toxicity; Not conclusive data for classification.

h) STOT-single exposure; Not conclusive data for classification.

(in accordance with Regulation (EU) 2020/878)

SAVVY PREMIUM





Version 1

Version 4 (replaces version 3) Revision date: 15/07/2024

Page 7 of 10 Print date: 15/07/2024

i) STOT-repeated exposure; Not conclusive data for classification.

j) aspiration hazard; Not conclusive data for classification.

11.2 Information on other hazards.

Endocrine disrupting properties

This product does not contain components with endocrine-disrupting properties with effects on human health. **Other information**

There is no information available on other adverse health effects.

SECTION 12: ECOLOGICAL INFORMATION.

12.1 Toxicity.

Metsulfuron-methyl 20 g/kg SG

Earthworm Bees

Aquatic organism EC50 (48 h, s) Daphnia magna 550 mg/Lmm (equivalent to 110 mg a.s./L) LC50 (96h,s) Cyprinus carpio >100 mg/L nom (equivalent to >20 mg a.s./L) NOEC (56d) Cyprinus carpio 1.0 mg/kg soil (0.2 mg a.s./kg) LD50 (oral) Apis mellifera >41.6 µg a.s/bee LD50 (contact) Apis mellifera >100 µg a.s./bee

12.2 Persistence and degradability.

Metsulfuron-methyl is not readily biodegradable. (EFSA Journal 2015;13(1):3936) No information is available on the degradability of the substances present. No information is available about persistence and degradability of the product.

12.3 Bioaccumulative potential.

Metsulfuron-methyl (CAS nº 74223-64-6) Log Pow -1.7 at 20°C and pH 7 (EFSA Journal 2015;13(1):3936)

12.4 Mobility in soil.

Metsulfuron-methyl : KFoc = 4 - 207 ml/g (EFSA Journal 2015;13(1):3936) The product must not be allowed to go into sewers or waterways. Prevent penetration into the ground.

12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

12.6 Endocrine disrupting properties.

This product doesn't contain components with environmental endocrine disrupting properties.

12.7 Other adverse effects.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

No information is available about other adverse effects for the environment.

SECTION 13: DISPOSAL CONSIDERATIONS.

13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

Waste classification according to the European Waste Catalogue: 02 WASTES FROM AGRICULTURE, HORTICULTURE, AQUACULTURE, FORESTRY, HUNTING AND FISHING, FOOD PREPARATION AND PROCESSING 02 01 wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing 02 01 08 agrochemical waste containing hazardous substances

Waste classified as hazardous.

(in accordance with Regulation (EU) 2020/878)

SAVVY PREMIUM

T

your alternative

Version 1Date of compilation: 29/03/2021Version 4 (replaces version 3)Revision date: 15/07/2024

Page 8 of 10 Print date: 15/07/2024

RINSE CONTAINER THOROUGHLY by using an integrated pressure rinsing device or manually rinsing three times. Add washings to sprayer at time of filling and dispose of safely.

SECTION 14: TRANSPORT INFORMATION.

Transport following ADR rules for road transport, RID rules for railway, ADN for inner waterways, IMDG for sea, and ICAO/IATA for air transport.
Land: Transport by road: ADR, Transport by rail: RID.
Transport documentation: Consignment note and written instructions
Sea: Transport by ship: IMDG.
Transport documentation: Bill of lading
Air: Transport by plane: ICAO/IATA.

Transport document: Airway bill.

14.1 UN number or ID number.

UN No: UN3077

14.2 UN proper shipping name.

Description: ADR/RID: UN 3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS METSULFURON-METHYL), 9, PG III, (-) IMDG: UN 3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS METSULFURON-METHYL), 9, PG III (60°C), MARINE POLLUTANT ICAO/IATA: UN 3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS METSULFURON-METHYL), 9, PG III

14.3 Transport hazard class(es).

Class(es): 9

14.4 Packing group. Packing group: III

14.5 Environmental hazards.

Marine pollutant: Yes



Dangerous for the environment Transport by ship, FEm – Emergency sheets (F – Fire, S - Spills): F-A,S-F

14.6 Special precautions for user.

Labels: 9



Hazard number: 90 Provisions concerning carriage in bulk ADR: VC1 Carriage in bulk in sheeted vehicles, sheeted containers or sheeted bulk containers is permitted. VC2 Carriage in bulk in closed vehicles, closed containers or closed bulk containers is permitted. Proceed in accordance with point 6. ADR LQ: 5 kg IMDG LQ: 5 kg ICAO LQ: 30 kg B

Note: If the net quantity per single or inner packaging is less than or equal to 5 litres (UN 3082) or 5 kg (UN 3077), these goods are exempt from the requirements of the transport regulations, in accordance with Special Provision 375 of the ADR, regulations

(in accordance with Regulation (EU) 2020/878)

SAVVY PREMIUM

Version 1 Date of compilation: 29/03/2021

Version 4 (replaces version 3) Revision date: 15/07/2024



Page 9 of 10 Print date: 15/07/2024

for road transport, Section 2.10.2.7 of the IMDG code for maritime transport and Special Provision A197 of the IATA- regulations for air transport.

14.7 Maritime transport in bulk according to IMO instruments.

IBC CODE: IBC08

SECTION 15: REGULATORY INFORMATION.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

EU Regulations

REGULATION (EC) No 1107/2009 of The European Parliament and of the Council of 21 October 2009 concerning the placing of plant protection products on the market and repealing Council Directives 79/117/EEC and 91/414/EEC.

REGULATION (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

REGULATION (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

COMMISSION REGULATION (EU) No 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

National Regulations/legislation:

The Chemicals (Hazard Information & Packaging for Supply) Regulations 2009 (CHIP 4)

Health and Safety at Work etc. Act 1974, as amended, the Control of Substances Hazardous to Health Regulations 1999 (COSHH), as amended.

15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: OTHER INFORMATION.

Complete text of the H phrases that appear in section 3:

- H318 Causes serious eye damage.
- Causes serious eye irritation. H319
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

Classification codes:

Aquatic Acute 1 : Acute toxicity to the aquatic environment, Category 1 Aquatic Chronic 1 : Chronic effect to the aquatic environment, Category 1 Eye Dam. 1 : Serious eye damage, Category 1 Eye Irrit. 2 : Eye irritation, Category 2 Skin Irrit. 2 : Skin irritant, Category 2

(in accordance with Regulation (EU) 2020/878)

SAVVY PREMIUM



Version 1 Date of compilation: 29/03/2021 Version 4 (replaces version 3) Revis

Revision date: 15/07/2024

Page 10 of 10 Print date: 15/07/2024

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:Physical hazardsOn basis of test dataHealth hazardsCalculation methodEnvironmental hazardsCalculation method

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Abbreviations and acronyms used:

- ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.
- CEN: European Committee for Standardization.
- PPE: Personal protection equipment.
- IATA: International Air Transport Association.
- ICAO: International Civil Aviation Organization.
- IMDG: International Maritime Code for Dangerous Goods.
- RID: Regulations Concerning the International Transport of Dangerous Goods by Rail.

Key literature references and sources for data: http://eur-lex.europa.eu/homepage.html http://echa.europa.eu/ Regulation (EU) 2020/878. Regulation (EC) No 1907/2006. Regulation (EC) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemical substances and mixtures (REACH).

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.