

BROX[®]-M

FOR POSTEMERGENCE CONTROL OF A VARIETY OF BROADLEAF WEEDS IN CEREAL CROPS AND GRASSES.



Brox[®]-M is a selective postemergence herbicide for control of important broadleaf weeds infesting small grains (wheat, barley, oats, rye), flax, conservative reserve program areas, and grasses grown for sod production. Optimum weed control is obtained when applied to actively growing weed seedlings. Brox-M is primarily a contact herbicide; therefore, thorough coverage of the weed seedlings is essential for optimum control.

Brox-M has little residual activity. Therefore, subsequent flushes of weeds will not be controlled by the initial treatment. Generally, crops that form a good canopy will help shade subsequent weed flushes. However, certain crops or short straw varieties may not develop the crop canopy fast enough to shade the subsequent flushes of weeds.

PRODUCT FEATURES

- Convenient premix that provides two different herbicide modes of action for broader spectrum weed control and reduced risk of weed resistance.
- May be applied to registered use areas by ground, aerial or through chemigation systems.
- Easily tank mixed with many other EPA-registered herbicides for use in labeled crops.

See label for complete application guidelines and restrictions.

ACTIVE INGREDIENT

2.0 lbs/gal bromoxynil +
2.0 lbs/gal MCPA

HRAC GROUP

Bromoxynil: Group 6
MCPA: Group 4

FORMULATION

Emulsifiable concentrate

REI

24 hours, except sod farm turf

COMPARE TO

N/A

MODE OF ACTION

Photosynthesis inhibitor,
synthetic auxin growth regulator

SIGNAL WORD

Warning

RESTRICTED USE

No

PACKAGING

2 x 2.5 gal, 30 gal, NR 265, Bulk

EPA REG NUMBER

42750-52 | AD021023

BROX[®]-M

FREQUENTLY ASKED QUESTIONS

Can I tank mix Brox-M with other crop protection products?

- Yes, Brox-M can be applied in tank mixture with other pesticide products registered for use on approved crops provided that these other products are registered for use on the crop/use site to be treated. *Refer to label for tank mix combinations, application timing and specific comments.*

How should I apply Brox-M by ground for best results?

- Use a standard herbicide boom sprayer that provides uniform and accurate application. Sprayer should be equipped with screens no finer than 50 mesh in the nozzle tips and in-line strainers.
- For optimum spray distribution and thorough coverage, use flat fan nozzles (maximum tip size 8008) with a spray pressure of 40 to 60 psi.
- In general, a spray volume of 10 to 20 gallons per acre (GPA) should be used for optimum spray coverage. A minimum of 5 GPA with a minimum spray pressure of 50 psi and a maximum ground speed of 10 mph may be used with higher speed, low volume ground application if ground terrain, crop and weed density allow effective spray distribution.
- When using higher speed equipment, a maximum ground speed of 10 mph is suggested if field conditions cause excessive boom movement during application which results in poor spray coverage.
- *Refer to label for additional information on ground, aerial and sprinkler irrigation application procedures, and label page 8 for crop-specific application timing and comments.*



◀ See label for complete application guidelines and restrictions.

©2023 Albaugh, LLC. All rights reserved. Albaugh, the Albaugh logo and Brox are registered trademarks of Albaugh, LLC. Always read and follow label restrictions, precautions and directions for use. Some products may not be registered for sale or use in all states or counties. Please check with your local extension service to ensure registration status.