# INSECTICIDE **INSECTICIDE SUBJECTIVE SUBJ**

**Imidacloprid 75WSP Select**<sup>™</sup> systemic insecticide provides long-lasting control on a broad spectrum of insect pests in turf, landscape ornamentals, fruit and nut trees, and interior plantscapes. With both curative and preventive action, it provides quick knockdown and superior control of pests such as white grubs, crane flies, leafminers, mealybugs, and more.

### PRODUCT FEATURES

- Proven performance long-lasting insecticide.
- Broad-spectrum systemic action.
- Curative and preventive properties.
- Convenient water soluble pouches for easy tank mixing and measuring.

#### LABELED USES

- Golf courses
- Sod farms
- Commercial turf areas
- Residential turf
- Industrial turf areas
- Municipal turf areas
- Landscape ornamentals
- Interior plantscapes

See label for complete application guidelines and restrictions.



CHEMICAL FAMILY Neonicotinoid

**COMPARE TO** Merit<sup>®</sup>, Premise<sup>®</sup>

**MODE OF ACTION** Binds to nicotinic acetylcholine receptors causing over stimulation and disruption of nerve transmissions.

RESTRICTED USE

SIGNAL WORD Caution

**PACKAGING** 4 x (4 x 1.6 oz), 88 x 1.6 oz

**EPA REG NUMBER** 89442-11



1525 NE 36th Street | Ankeny, Iowa 50021 | albaughspecialty.com

## IMIDACLOPRID 75WSP SELECT

**BROAD-SPECTRUM INSECTICIDE FOR LONG-LASTING CONTROL.** 

#### APPLICATION INFORMATION

#### Turfgrass

Imidacloprid 75WSP Select<sup>™</sup> controls insect pests on turfgrass in residential lawns, business and office complexes, shopping complexes, multi-family residential complexes, golf courses, airports, cemeteries, parks, playgrounds, and athletic fields. The active ingredient in this product has enough residual activity so that applications can be made preceding the egg laying activity of the target pests. Best control is achieved when applications are made prior to egg hatch of the pests. Sufficient irrigation or rainfall is required to move the active ingredient through the hatch.

**DO NOT** apply when infested turfgrass areas are waterlogged or soil beneath turf is saturated with water. These conditions prevent thorough and consistent distribution. Best results are achieved when rainfall or irrigation after application will penetrate vertically in the soil column carrying the active ingredient into the zone where insects are normally located.

#### Restriction

DO NOT exceed a total of 8.6 ounces application (0.4 lb of active ingredient) per acre, per year.

#### Ornamentals

**Imidacloprid 75WSP Select** can be applied to ornamental plants in commercial and residential landscapes and interior plantscapes. **Imidacloprid 75WSP Select** is a systemic insecticide that is transported within the plant system from the roots to upper foliage. Product must be applied into a growing area of the plant that allows absorption of the active ingredient. Adding soluble nitrogen type fertilizers to the spray solution when appropriate can promote the uptake of the active ingredient.

Application can be made by foliar or soil applications including soil injection, drenches, and broadcast sprays. Foliar applications offer locally systemic activity against insect pests. The systemic translocation of active ingredient will be slower when applied to woody plants with soil applications. This delay can take 60 days or longer depending on species and size of plant. To offset this delay, make soil applications before anticipated pest infestation.

#### Restriction

DO NOT exceed a maximum application rate of a total 8.6 ounces (0.4 lb of active ingredient) per acre, per year.

#### LABELED TURF PESTS

Billbug larvae	Hairy chinch bugs	Mole crickets	Southern masked chafers
European chafers	Japanese beetles	Northern masked chafers	White grubs, including black
European crane flies	May and June beetles	Oriental beetles	turfgrass ataenius beetles

#### LABELED ORNAMENTAL PESTS

Adelgids	Emerald ash borers	Leafminers	Scale insects
Aphids	Japanese and other	Mealybugs	Thrips (suppression)
Asian longhorned beetles	leaf-feeding beetles	Pine tip moth larvae	Vine weevils
Borer	Lace bugs	Royal palm bugs	Whiteflies
Elm leaf beetles	Leafhoppers	Sawfly larvae	



See label for complete application guidelines and restrictions.

©2023 Albaugh, LLC. Albaugh and the A logo are registered trademarks and Imidacloprid 75WSP Select is a trademark of Albaugh, LLC. Premise and Merit are registered trademarks of Bayer. Always read and follow label restrictions, precautions, and directions for use. Products may not be registered for sale or use in all states or counties. Please check with your state agency responsible for pesticide registration to ensure registration status.

