

 **NON-SELECTIVE HERBICIDE**

LANDMASTER® BW

POSTEMERGENCE HERBICIDE FOR THE CONTROL OR SUPPRESSION OF EMERGED WEEDS IN FALLOW AND REDUCED TILLAGE SYSTEMS, PASTURE AND RANGELAND APPLICATIONS.



Landmaster® BW is a post-emergence herbicide for control or suppression of emerged weeds in fallow and reduced tillage systems, pasture and rangeland, airports, dry canals, industrial plant sites, parking areas, parks, schools, storage areas, farmsteads, ditches, fencerows, roadside and highway rights-of-way, other public areas, and similar industrial and non-crop sites. Landmaster BW can also be applied prior to planting or emergence of wheat, barley, corn, oats, rye or sorghum (grain or forage), through hooded sprayers between rows of corn, as a spot treatment in corn, sorghum, forage grasses or forage legumes, as a preharvest treatment in wheat, and as a postharvest treatment following grain harvest.

PRODUCT FEATURES

- Effective solution to control many grass and broadleaf weed species through translocation of the herbicide through the plant.
- Fast-acting herbicide that may provide visual effects in the targeted plant within 2-4 days after application.
- May be applied through ground, aerial or hand-held application equipment.

ACTIVE INGREDIENTS

1.2 lbs glyphosate salt
(0.9 lbs/gal glyphosate acid) +
1.5 lbs/gal 2,4-D acid

HRAC GROUPS

9, 4

FORMULATION

Soluble concentrate

REI

48 hours

COMPARE TO

N/A

MODE OF ACTION

Synthetic auxin growth regulator &
EPSP synthase inhibitor

SIGNAL WORD

Caution

RESTRICTED USE

No

PACKAGING

2 x 2.5 gal, 30 gal, NR 265, bulk

EPA REG NUMBER

42750-62 | AD100611

See label for complete application guidelines and restrictions.

LANDMASTER® BW

FREQUENTLY ASKED QUESTIONS

When should Landmaster BW be applied for best results?

- Landmaster BW should be applied postemergence to vigorously growing weeds when they have reached the recommended size given in the USE RATES AND WEEDS CONTROLLED section of this label.
- Application should be delayed until maximum emergence of the target weeds, but before weeds exceed the maximum size recommended. For annual weeds, allow 1 day after treatment before tillage. For field bindweed, allow at least 7 days after treatment before tillage.
- For light Kochia infestations, treat when height is 3 to 6 inches; medium to heavy Kochia infestations treat when height is 1 to 3 inches in height and add dicamba.
- Reduced control may result if treatments are made during poor growing conditions such as drought stress, disease or insect damage or if weeds have been mowed, grazed or cut. Heavy dust on foliage or an overstory canopy covering targeted weeds may also reduce control.
- Rainfall or irrigation occurring within 6 hours after application may reduce effectiveness. Heavy rainfall or irrigation within 2 hours after application will wash this product off the foliage and a repeat treatment will be required.

What precautions should be observed when applying Landmaster BW?

- Do not plant any crop other than wheat, barley, corn, oats, rye or sorghum (grain or forage) for 3 months after treatment or until this product has disappeared from the soil.
- Applications of this product after planting and prior to crop emergence may cause crop injury if rainfall or environmental conditions delaying crop emergence are experienced.

- This product is recommended for control of emerged weeds prior to establishment of labeled crops. Large amounts of green or decaying vegetation left standing or incorporated into the seedbed may enhance the development of disease in newly-planted crops. This may result in poor emergence and/or stands, especially under cool and/or wet conditions.
- Spraying early to control young weeds before dense stands develop or light cultivation to assist weed decay will favor preparation of suitable seedbeds.
- In reduced tillage and no-till systems, ensure good seed to soil contact and proper seeding depth.
- Do not feed or forage treated vegetation from treated areas for 8 weeks after application.
- DO NOT APPLY IN THE VICINITY OF 2,4-D SENSITIVE CROPS SUCH AS COTTON, GRAPES, TOMATOES AND OTHER DESIRABLE VEGETATION.
- Movement of this product on soil particles during windstorms may cause damage to susceptible plants that are contacted. This hazard is reduced if rainfall occurs shortly after application.
- Landmaster BW is subject to all state and county regulations for 2,4-D amine.



◀ See label for complete application guidelines and restrictions.

©2025 Albaugh, LLC. All rights reserved. Albaugh, the Albaugh logo and Landmaster are registered trademarks of Albaugh, LLC. Always read and follow label restrictions, precautions and directions for use. Some products may not be registered for sale or use in all states or counties. Please check with your local extension service to ensure registration status.