

# PRIORITY<sup>®</sup> 8E

**A SELECTIVE HERBICIDE FOR CONTROL OF MOST ANNUAL GRASSES AND CERTAIN BROADLEAF WEEDS IN A VARIETY OF CROPS.**

Priority<sup>®</sup> 8E is a selective herbicide for use as a preplant surface-applied, preplant incorporated or preemergent treatment in water or fluid fertilizer for control of most annual grasses and certain broadleaf weeds in a variety of crops. It can also be applied as a postemergence treatment on corn, cotton, potato, soybean and tomato.

## PRODUCT FEATURES

- Excellent choice as part of an integrated weed control program by providing broad-spectrum weed control in a variety of crops.
- May be used alone or in tank mixtures with other labeled herbicides.
- When mixed with other EPA registered herbicides, Priority 8E can increase the spectrum of weed control helping to minimize weed resistance.
- Priority 8E can be applied through ground, aerial or chemigation application equipment.

See label for complete application guidelines and restrictions.



### ACTIVE INGREDIENT

7.64 lbs/gal metolachlor

### HRAC GROUP

15

### FORMULATION

Liquid

### REI

24 hrs

### COMPARE TO

Dual II Magnum<sup>®</sup>

### MODE OF ACTION

Long-chain fatty acid inhibitor

### SIGNAL WORD

Caution

### RESTRICTED USE

No

### PACKAGING

2 x 2.5 gal, 265 gal, bulk

### EPA REG NUMBER

42750-340 | AD010623

# PRIORITY® 8E

## FREQUENTLY ASKED QUESTIONS

### Does Priority 8E contain a safener?

- Yes, Priority 8E utilizes a dichlormid safener, which is in the same dichloroacetamide family as benoxacor, the safener found in the leading metolachlor herbicide.

### When should I apply Priority 8E?

#### Corn - preplant surface-applied fall application

- Apply after September 30 in MN, ND, SD, WI, and north of Route 30 in IA
- Apply after October 15 north of Route 91 in NE and south of Route 30 in IA
- Apply after October 31 north of Route 136 in IL

#### Corn - spring application

- Can be applied alone or in combination with other labeled herbicides Preplant Surface-Applied, Preplant Incorporated, Preemergence or Postemergence (refer to label pages 10-15 for more information).

#### Soybeans - preplant surface-applied fall application

- Apply after September 30 in MN, ND, SD, WI, and North of Route 30 in IA
- Apply after October 15 North of Route 91 in NE and South of Route 30 in IA
- Apply after October 31 North of Route 136 in IL

#### Soybeans - preplant surface spring application

- Use on medium and fine soils with minimum-tillage or no-tillage systems in CO, CT, DE, IA, IL, IN, KS, KY, MA, MD, ME, MI, MN, MO, MT, ND, NE, NH, NY, OH, PA, RI, SD, TN, VA, VT, WI, WV, and WY. Apply two-thirds of the specified rate of

PRIORITY 8E (1.67 pts./A on medium soils and 2 pts./A on fine soils) as a split treatment 30 to 45 days prior to planting and the remainder at planting. Applications made less than 30 days before planting may be as either a split or single treatment. Apply 1.33 pts./A on coarse soils not more than 2 weeks before planting

#### Soybean - postemergence (from emergence up through 5th trifoliolate leaf stage)

- Apply 1.0 to 1.33 pints per acre to soybeans from emergence through the 5th trifoliolate leaf stage.

#### Cotton - preplant incorporated (NM, OK, and TX only)

- Apply Priority 8E to the soil and incorporate into the top inch of soil immediately before planting, at planting, or after planting, but before crop or weeds emerge.

#### Cotton - preemergence

- Apply Priority 8E to the soil surface at planting or after planting, but before weeds or crop emerge.

#### Cotton - postemergence

- VA, NC, SC, GA, FL, and AL: Apply Priority 8E at 1 to 1.33 pts./A when cotton is 3 to 6 inches tall
- TN, AR, MS, MO, and LA: Apply Priority 8E at 0.75 to 1.33 pts./A when cotton is 3 to 12 inches tall.
- TX, OK, NM, AZ, CA, and Clay Soils in AR: Apply Priority 8E at 1 to 1.33 pts./A when cotton is 3 to 12 inches tall, but before August 1.

*For additional applications, follow the crop specific label requirements identified on the label.*



◀ See label for complete application guidelines and restrictions.

©2024 Albaugh, LLC. All rights reserved. Albaugh, the Albaugh logo and Priority are registered trademarks of Albaugh, LLC. Dual II Magnum is a registered trademark of a Syngenta Group Company. Always read and follow label directions, precautions and restrictions for use. Some products may not be registered for sale or use in all states or counties. Please check with your local extension service to ensure registration status.