

# MCPA AMINE 4

A VERSATILE HERBICIDE FOR CONTROL OF A VARIETY OF ANNUAL AND PERENNIAL BROADLEAF WEEDS IN SMALL GRAINS, PASTURES, GRASSES GROWN FOR SEED, GRASS CUT FOR HAY AND RANGELAND.



MCPA Amine 4 is an excellent tank mix partner with other small grain herbicides to expand control of troublesome weeds. Apply 5 to 15 gallons of total spray per acre when making applications with ground equipment, and 3 to 5 gallons of total spray when making applications by aircraft, unless directed otherwise under specific directions. REFER TO ENVIRONMENTAL HAZARDS ON LABEL FOR FURTHER SPRAY VOLUME INFORMATION.

## PRODUCT FEATURES

- Effective solution in moderately hard water and an excellent tank mix partner with other small grain herbicides.
- Additional crop safety on small grains as compared to 2,4-D ester formulations.
- May be applied by either ground or aerial application equipment.

### ACTIVE INGREDIENT

3.7 lbs/gal MCPA amine

### HRAC GROUP

4

### FORMULATION

Liquid

### REI

48 hrs

### COMPARE TO

Other MCPA amine herbicides

### MODE OF ACTION

Synthetic auxin growth regulator

### SIGNAL WORD

Danger

### RESTRICTED USE

No

### PACKAGING

2 x 2.5 gal, 30 gal, 265 gal

### EPA REG NUMBER

42750-14 | AD091818

See label for complete application guidelines and restrictions.

# MCPA AMINE 4

## FREQUENTLY ASKED QUESTIONS

### How should I apply MCPA Amine 4 on small grains (wheat, oats, barley and rye) for best results?

- Apply as a water mix spray by ground sprayer or airplane. Use ½ to 1 pint per acre for the more susceptible weeds after crop has reached the 3-to 4-leaf stage up to boot stage. Use up to 1 ⅓ pints per acre for less susceptible weeds after crop has tillered and up to early boot stage. Do not spray from boot to dough stage.
- Underseeded with alfalfa, lespedeza, red and white clover: For emergency control of serious infestations of mustard, yellow rocket and other susceptible broadleaf weeds, apply ¼ to ½ pint in not more than 5 to 10 gallons of water per acre. Make application after cereal is well tillered (4 to 8 inches tall) and before reaching boot stage. The nurse crop and weeds should provide a protecting canopy which, together with the use of low gallonage applied at low pressure, will reduce the risk of damage to the legumes. Do not apply to small grains underseeded with vetch or sweet clover, which are very susceptible. There is also some risk to other legumes if only thinly protected by a canopy.
- Do not forage or graze meat animals on treated areas within 7 days of slaughter.
- Do not apply more than 1 ⅓ pints (0.75 lb acid equivalent) per acre per year.

### How should I apply MCPA Amine 4 on established grassland and pastures for best results?

- Use 1 to 3 pints per acre in sufficient water (10 to 100 gallons) in airplane or ground sprayer application and give thorough coverage. Use higher rate for white top, Canada thistle and other less easy-to-kill weeds; spray perennials in early bud to full bloom stage and regrowth in fall. Spray other weeds in spring or fall.
- Do not forage or graze meat animals on treated areas within 7 days of slaughter.
- Do not forage or graze dairy animals on treated areas within 7 days after treatment.
- Do not apply more than 3 pints (1.5 lb acid equivalent) per acre per year.
- Do not apply more than 2 applications per year with a minimum retreatment interval of 21 days.

### Can I apply MCPA Amine 4 on rangeland?

- Yes. For control of whitebrush—Use 2 ½ pints in a mixture of 1 gallon of diesel oil and sufficient water to make 8 gallons of solution per acre. Apply in spring or fall under good moisture conditions, full leaf, before blossoms begin to fall.
- Do not apply more than 3 pints (1.5 lb acid equivalent) per acre per year
- Do not apply more than 2 applications per year with a minimum retreatment interval of 21 days.



◀ See label for complete application guidelines and restrictions.

©2023 Albaugh, LLC. All rights reserved. Albaugh and the Albaugh logo are registered trademarks of Albaugh, LLC. Always read and follow label restrictions, precautions and directions for use. Some products may not be registered for sale or use in all states or counties. Please check with your local extension service to ensure registration status.